

# Evidence-Based Medicine



## Contents

June 2009 Vol 14 No 3

### Purpose and procedure

65

### EBM notebook

- 66 Communicating diagnostic uncertainties to patients: The problems of explaining unclear diagnosis and risk
- 67 EBM resources on the new CEBM website
- 68 What does it take to put an ugly fact through the heart of a beautiful hypothesis?
- 69 What the headline giveth, the critique often taketh away: The "News and headlines" feature of EvidenceUpdates
- 69 Oxford International Programme in Evidence-Based Health Care


### Letter

- 70 Letter: Viewing JUPITOR with a clear perspective

### Evidently

71

### Therapeutics

- 72  6-month treatment with a low-glycaemic diet was better than a high-fibre diet for glycaemic control in type 2 diabetes
- 73 Intensive and standard glucose control did not differ for CV events or death in poorly controlled type 2 diabetes
- 74 Review: inhaled corticosteroids do not reduce mortality but increase pneumonia in COPD
- 75 Self-monitored, home-based pulmonary rehab was non-inferior to outpatient, hospital-based rehab for COPD
- 76 Review: exercise programmes prevent falls in elderly people
- 77 Oral prednisolone did not improve outcomes in preschool children with an attack of wheezing
- 78 Review: formoterol increases serious adverse events in children and adults with chronic asthma
- 79 Review: admission avoidance hospital at home decreases mortality at 6 months but does not differ from inpatient care for readmission
- 80 Review: enhanced oral hygiene prevents respiratory infection in elderly people in hospitals and nursing homes

- 81 Review: brand-name drugs are not more effective than generic versions for treating cardiovascular disease
- 82 Review: second-generation antidepressants have similar effectiveness, but specific adverse effects differed
- 83 A combination of cognitive-behavioural therapy and sertraline reduced anxiety in children more than either treatment alone
- 84 Review: fibre, antispasmodics, and peppermint oil are all effective for irritable bowel syndrome
- 85 Clindamycin and benzoyl peroxide combined was more effective than either agent alone or placebo for acne vulgaris
- 86 Review: interferon and nucleoside/tide analogues reduce risk of hepatocellular cancer in chronic hepatitis B
- 87 Malaria vaccine was safe for infants and did not interfere with the immunogenicity of coadministered antigens

### Diagnosis

- 88 Clinical diagnosis of vaginitis was moderately accurate in symptomatic women
- 89 Review: clinical findings had moderate sensitivity and specificity for diagnosing irritable bowel syndrome

### Prognosis

- 90 Review: long-term annual conversion rate to dementia was 3.3% in elderly people with mild cognitive impairment

### Clinical prediction guide

- 91 A simple clinical score accurately identified patients who had a cardiac cause of syncope

### Resource reviews

92

### Additional articles abstracted in ACP Journal Club


94

### Other articles noted

95

### Glossary

Inside back cover

 This article has been chosen by the Editor to be of special interest or importance and is freely available online.

C O P E COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

[www.publicationethics.org.uk](http://www.publicationethics.org.uk)