

Contents

Purpose and procedure	97	
EBM notebook		
Jottings...	98	
Teaching evidence-based practice on foot	98	
Finding the gold in Medline: clinical queries	101	
Measures of association as used to address therapy, harm, and aetiology questions	102	
EBM teaching tip: Using a tape measure for intra-observer variability	104	
Evidently...	105	
Therapeutics		
Rofecoxib for colorectal adenomas increased thrombotic events	106	
Celecoxib for colorectal adenomas increased CV events	107	
Review: a peridischARGE multidisciplinary treatment programme reduces readmissions in heart failure	108	
An implantable cardioverter defibrillator but not amiodarone reduced risk of death in congestive heart failure	109	
Ximelagatran was not inferior to warfarin for preventing stroke and systemic embolism in non-valvular atrial fibrillation	110	
Clopidogrel was effective in patients who have MI with ST segment elevation receiving aspirin and fibrinolytic therapy	111	
Aspirin plus esomeprazole reduced recurrent ulcer bleeding more than clopidogrel in high risk patients	112	
Review: dipyridamole given with or without aspirin reduces recurrent stroke	113	
Prophylactic coronary artery revascularisation before elective vascular surgery did not improve long term survival	114	
Review: antibiotics active against atypical pathogens do not improve community acquired pneumonia more than β lactam antibiotics	115	
Maintenance plus as needed budesonide plus formoterol was better than fixed dose for severe exacerbations in asthma	116	
Review: commonly recommended well-child care interventions are not supported by evidence	117	
Review: early mobilisation is better than cast immobilisation for injured limbs	118	
A functional task exercise programme was better than a resistance exercise programme in elderly women	119	
Review: naltrexone reduces alcohol consumption (in the short-term) in patients with alcohol dependence	120	
Hormone therapy increased incidence and severity of urinary incontinence in healthy postmenopausal women	121	
Review: delayed pushing reduces rotational or mid pelvic instrumental deliveries but increases duration of the second stage of labour in women having epidural analgesia	122	
Diagnosis		
Review: no single physical examination sign rules in or out osteoporosis or spinal fracture	123	
Colonoscopy detected colon polyps better than air contrast barium enema or computed tomographic colonography	124	
Clinical prediction guide		
A clinical prediction rule predicted outcome in patients with low back pain having spinal manipulation and exercise treatment	125	
Additional articles abstracted in ACP Journal Club	126	
Other articles noted	127	
Glossary		Inside back cover