Evidence-Based Medicine

for Primary Care and Internal Medicine

Editors: Brian Haynes & Paul Glasziou

Contents

Purpose and procedure	161
EBM notebook Jottings Life after the EBM workshop Smart health choice essentials Letter	162 163 164 166
Evidently	167
Therapeutics Review: vaccines against human papillomavirus prevent cervical cancer precursors in young women for at least 3 years Review: rosiglitazone increases risk of MI but does not differ from other drugs for CV death in type 2 diabetes Rosiglitazone increased heart failure but did not differ from metformin plus sulphonylurea for other CV outcomes at interim analysis Review: regular brisk walking improves cardiovascular risk factors in healthy sedentary adults Warfarin reduced major stroke more than aspirin in elderly patients with atrial fibrillation in primary care Symptomatic use of beclomethasone-albuterol and regular use of beclomethasone did not differ for control of mild asthma Induction of labour post-term or expectant management with serial fetal monitoring had similar neonatal outcomes Prednisolone plus paracetamol (acetaminophen) was as effective as indomethacin plus paracetamol but had fewer adverse effects in acute gout-like arthritis Intranasal fentanyl and intravenous morphine did not differ for pain relief in children with closed long-bone fractures Review: on-demand maintenance therapy with proton pump inhibitors is as effective as continuous therapy for non-erosive GORD Cleaning of the perineal/genital area before urine collection from toilet-trained children prevented sample contamination	168 169 170 171 172 173 174 175 176



Review: brief interventions including information sessions, motivational interviews, and cognitive behavioural therapy reduce excessive alcohol consumption in primary care An intensive lifestyle intervention reduced weight and cardiovascular disease risk factors in obese participants with type 2 diabetes at 1 year in an interim analysis Irrigation of simple lacerations with tap water or sterile saline in the emergency department did not differ for wound infections	179 180 181
Diagnosis Review: some screening tests for dementia in older people are accurate and practical for use in primary care Review: anti—cyclic citrullinated peptide antibody is a more specific test for rheumatoid arthritis than rheumatoid factor	182 183
Aetiology Review: increased waist circumference or waist-to-hip ratio is associated with increased risk of cardiovascular events	184
Quality improvement Reminders in echocardiography reports increased use of β blockers in reduced left ventricular ejection fraction	185
Clinical prediction guide Review: evidence from single studies shows that a few fall risk assessment tools can predict falls in elderly people The ankle brachial index independently predicted allcause mortality in high-risk patients with peripheral arterial disease	186 187

v		
Resource review	188,	189
Additional articles abstracted in ACP Journal Clu	vb	190
Other articles noted		191
Glossarv Ins	ide back	