

Evidence-Based Medicine

for Primary Care and Internal Medicine

Editors: Brian Haynes & Paul Glasziou

Contents

Purpose and procedure	129
EBM notebook Jottings Letter: Meta-analysis can be statistically misleading In response: but they also present an opportunity to learn more. Clinical skills textbooks fail evidence-based examination Statistical approaches to uncertainty: p values and confidence intervals unpacked Evidently	130 130 131 131 133 135
Therapeutics Warfarin was not more effective than aspirin and increased adverse events in symptomatic intracranial arterial stenosis Low dose aspirin lowered stroke risk but not risks of MI or cardiovascular deaths in women Intensified blood pressure (BP) control was not better than conventional BP control in non-diabetic chronic renal disease ED use of magnesium sulphate improved rate control in atrial fibrillation with rapid ventricular response	136 137 138 139
Review: several pharmacological therapies promote modest weight loss Review: sparse high quality evidence supports surgery for obesity Screening for abdominal aortic aneurysm (AAA) reduced AAA mortality in Danish men 64–73 years of age A smoking cessation programme plus inhaled ipratropium	140 141 142
improved survival in asymptomatic airway obstruction Clinician advice, an interactive computer program, and motivational counselling increased smoking cessation in teens Cognitive therapy reduced relapses and number of days in bipolar episodes in <i>DSM-IV</i> bipolar I disorder Review: bright light therapy and dawn simulation reduce symptom severity in seasonal affective disorder Buccal oxycodone reduced pain more than placebo in children with acute undifferentiated abdominal pain	143 144 145 146 147

www.evidence-basedmedicine.com

Diagnosis

BNP and amino terminal proBNP assays did not differ for detecting congestive heart failure in the emergency department A decrease of ≥ 2 points on the Mini-Mental State Examination was the best determinant of delirium in elderly patients 148 admitted to hospital 149 Prognosis Review: B type natriuretic peptide consistently predicts death and cardiovascular events in heart failure Gleason score predicted mortality rate to 20 years for 150 untreated early prostate cancer 151 Overall mortality was 2.2% in children after a first unprovoked afebrile seizure 152 Aetiology Subclinical hypothyroidism increased the risk of placental 153 abruption and poor neonatal outcomes Quality improvement Pharmacist led, primary care based disease management reduced risk factors and improved glycaemic control in diabetes 154 Clinical prediction guide A clinical prediction model predicted absence of significant fibrosis in chronic hepatitis B 155 Additional articles abstracted in ACP Journal Club 156 Other articles noted 157 159 **Resource reviews** Glossary Inside back cover