

Evidence-Based Medicine

for Primary Care and Internal Medicine



www.evidence-basedmedicine.com

Editors: Brian Haynes & Paul Glasziou

Contents

Purpose and procedure	97	Mometasone turoate nasal spray was more effective for symptom relief of acute rhinosinusitis than amoxicillin or placebo Glucosamine and chondroitin sulphate did not improve pain in	114
EBM notebook ottings 	98 99	osteoarthritis of the knee	115
Evaluating evidence-based practice performance The EBM journal selection process: how to find the 1 in 400 valid and highly relevant new research articles	101	Diagnosis Review: self report of hearing loss and the whispered voice test	
evidently	102	are useful for screening for hearing impairment Review: ECG, BNP, and N terminal-pro BNP are more sensitive	116
Therapeutics Review: self monitoring increases the efficacy and safety of		than specific for chronic left ventricular systolic dysfunction	117
anticoagulant therapy cowering homocysteine with folic acid and B vitamins did not	103	Prognosis 71% of patients with newly diagnosed chronic kidney disease	
prevent vascular events in vascular disease Lowering homocysteine with folic acid and B vitamins did not be prevent vascular events after myocardial infarction. Review: surgery is not effective for obstructive sleep apnoea hypopnoea syndrome in adults. Below the elbow casts were as effective as above the elbow casts for maintaining reduction of forearm fractures in children. Wet wrap bandages for 4 weeks did not differ from topical pointments but increased skin infections in paediatric atopic eczema. A low fat diet led to a minor weight loss at 7.5 years in postmenopausal women. Review: sedative hypnotics increase adverse effects more than they improve sleep quality in older persons with insomnia. Maintenance treatment with paroxetine, but not psychotherapy, prevented recurrent major depression in older people. Rapid access to methadone improved entry and outcomes in neroin addicts awaiting methadone treatment. A rotavirus vaccine for infants prevented rotavirus gastroenteritis.	104	progressed to renal replacement therapy or death within 3 years	118
	105	Clinical prediction guide Review: the Wells clinical prediction guide and D-dimer testing	
	106	predict deep vein thrombosis The Outpatient Bleeding Risk Index predicted major bleeding in	119
	107	patients taking warfarin A simple prediction rule identified patients with pulmonary	120
	108		121
	109	but not sensitive for predicting group A β haemolytic streptococcus in children with pharyngitis	122
	110	Resource review	123
	111	Additional articles abstracted in ACP Journal Club	126
	112	Other articles noted	127
	113	Glossary Inside bac	k cove