# **Evidence-Based Medicine**



## **Contents**

#### **Therapeutics**

- 37 Hydroxycarbamide for very young children with sickle cell anaemia: no effect on the primary outcomes of spleen or kidney function, but evidence for decreased pain and dactylitis, with minimal toxicity
- Randomised trial of radical prostatectomy versus watchful waiting finds reduced risk for death but uncertainty still reigns
- 39 Systematic review of observational studies finds increased risk of fracture among older adults taking a proton pump inhibitor
- 40 Oxygen may reduce dyspnoea in people with COPD who have mild or no hypoxaemia
- 41 The administration of corticosteroids to 34–36-week pregnant women at risk of imminent delivery does not reduce the risk of respiratory disorders in the newborn
- **42** Cardiac resynchronisation therapy reduces mortality in patients with heart failure but questions remain
- In two parallel pragmatic equivalence trials, leukotriene receptor antagonists as initial therapy for asthma compared with inhaled corticosteroids and as add on therapy to ICS compared with adding long-acting β agonists provided equivalent short-term asthma quality of life but were associated with more medication switches
- 45 Early (at 34–35 weeks) external cephalic version reduced the risk of non-cephalic (breech) presentation at birth but has no effect on risk of caesarean section
- Warming local anaesthetic prior to injection reduces injection pain
- 47 Ovarian cancer screening has no effect on disease-specific mortality
- 49 A 2-year early childhood psychosocial stimulation programme improves cognitive outcomes and decreases violent behaviour at 22 years for children with growth retardation
- Cohort analysis finds that the proportion of people who meet high risk criteria for colorectal, breast or prostate cancer screening based on family history increases between age 30 and 50
- 51 Management of patients hospitalised with community-acquired pneumonia: dexamethasone reduces length of stay by 1 day
- 53 In patients hospitalised with acute heart failure, nesiritide, compared with placebo, is not associated with improvements in dyspnoea or 30-day rehospitalisation or mortality

### **April 2012 Vol 17 No 2**

- 54 In selected lower risk patients with acute pulmonary embolism, outpatient treatment is not associated with increased risk of adverse outcomes compared with standard inpatient care
- 55 Intensive statin therapy, compared with moderate dose, increases risk of new onset diabetes but decreases risk of cardiovascular events

#### **Diagnosis**

- 57 Sensitivity of pulse oximetry for detection of critical congenital heart defects in newborn infants higher than that of antenatal ultrasound with few false positives
- 58 Hammering the point home: serologic testing costs more and harms more patients than other strategies for the diagnosis of active tuberculosis in India

#### **Prognosis**

- 60 Inhaled anticholinergic medications in older men with chronic obstructive pulmonary disorder are associated with increased odds of acute urinary retention
- 61 Short- and long-term treatment with non-steroidal anti-inflammatory drugs increases risk of death or recurrent MI in those with previous MI
- Modelling study of prognostic indicators for patients with locally advanced or metastatic cancer identifies variables that predict short-term survival in palliative care

#### Aetiology

- 64 Enhancing the Framingham Risk Score for coronary heart disease by adding information on working hours
- Modifiable risk factors for stillbirth in high-income countries include overweight and obesity, maternal age and smoking
- Babies exposed to newer-generation antiepileptic drugs (compared with no antiepileptic drug exposure) in the first-trimester of pregnancy are not at increased risk of major birth defects

#### Resource review

Book review: systematic reviews to support evidence-based medicine. Second edition: from expert to novice and back again

#### **Electronic** page

**e2** Purpose and procedure



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk

