

## Contents

<b>Purpose and procedure</b>	<b>97</b>		
<b>EBM notebook</b>			
Jottings . . .	<b>98</b>		
Teaching evidence-based practice on foot	<b>98</b>		
Finding the gold in Medline: clinical queries	<b>101</b>		
Measures of association as used to address therapy, harm, and aetiology questions	<b>102</b>		
EBM teaching tip: Using a tape measure for intra-observer variability	<b>104</b>		
Evidently . . .	<b>105</b>		
<b>Therapeutics</b>			
Rofecoxib for colorectal adenomas increased thrombotic events	<b>106</b>		
Celecoxib for colorectal adenomas increased CV events	<b>107</b>		
Review: a peridischarge multidisciplinary treatment programme reduces readmissions in heart failure	<b>108</b>		
An implantable cardioverter defibrillator but not amiodarone reduced risk of death in congestive heart failure	<b>109</b>		
Ximelagatran was not inferior to warfarin for preventing stroke and systemic embolism in non-valvular atrial fibrillation	<b>110</b>		
Clopidogrel was effective in patients who have MI with ST segment elevation receiving aspirin and fibrinolytic therapy	<b>111</b>		
Aspirin plus esomeprazole reduced recurrent ulcer bleeding more than clopidogrel in high risk patients	<b>112</b>		
Review: dipyridamole given with or without aspirin reduces recurrent stroke	<b>113</b>		
Prophylactic coronary artery revascularisation before elective vascular surgery did not improve long term survival	<b>114</b>		
Review: antibiotics active against atypical pathogens do not improve community acquired pneumonia more than $\beta$ lactam antibiotics	<b>115</b>		
		Maintenance plus as needed budesonide plus formoterol was better than fixed dose for severe exacerbations in asthma	<b>116</b>
		Review: commonly recommended well-child care interventions are not supported by evidence	<b>117</b>
		Review: early mobilisation is better than cast immobilisation for injured limbs	<b>118</b>
		A functional task exercise programme was better than a resistance exercise programme in elderly women	<b>119</b>
		Review: naltrexone reduces alcohol consumption (in the short-term) in patients with alcohol dependence	<b>120</b>
		Hormone therapy increased incidence and severity of urinary incontinence in healthy postmenopausal women	<b>121</b>
		Review: delayed pushing reduces rotational or mid pelvic instrumental deliveries but increases duration of the second stage of labour in women having epidural analgesia	<b>122</b>
		<b>Diagnosis</b>	
		Review: no single physical examination sign rules in or out osteoporosis or spinal fracture	<b>123</b>
		Colonoscopy detected colon polyps better than air contrast barium enema or computed tomographic colonography	<b>124</b>
		<b>Clinical prediction guide</b>	
		A clinical prediction rule predicted outcome in patients with low back pain having spinal manipulation and exercise treatment	<b>125</b>
		<b>Additional articles abstracted in ACP Journal Club</b>	<b>126</b>
		<b>Other articles noted</b>	<b>127</b>
		<b>Glossary</b>	Inside back cover