

# Other articles noted

The purpose and procedure section in each issue of *Evidence-Based Medicine* describes the criteria for selecting articles for inclusion. The journals read are also listed in each issue. All articles that meet our criteria in the reviewed journals are cited in *Evidence-Based Medicine*, but there is not enough space to abstract them all. The following articles passed all criteria but were not abstracted. Practising clinicians rated them for clinical relevance and newsworthiness, and the mean scores are displayed. A fuller list of articles and a sample of the rating form are available on the *Evidence-Based Medicine* web site ([www.evidence-basedmedicine.com/cgi/content/full/10/5/e1](http://www.evidence-basedmedicine.com/cgi/content/full/10/5/e1)).

## THERAPEUTICS

McAlister F, Ezekowitz J, Wiebe N, et al. Cardiac resynchronization therapy for congestive heart failure. *Evid Rep Technol Assess (Summ)* 2004;**106**:1–8.

IM/Ambulatory care ★★★★★★ Cardiology ★★★★★★

Kotowska M, Albrecht P, Szajewska H. *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhoea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther* 2005;**21**:583–90.

GP/FP/Primary care ★★★★★★ Gastroenterology ★★★★★★ Infectious disease ★★★★★★ Paediatrics ★★★★★★

Borstad GC, Bryant LR, Abel MP, et al. Colchicine for prophylaxis of acute flares when initiating allopurinol for chronic gouty arthritis. *J Rheumatol* 2004;**31**:2429–32.

GP/FP/Primary care ★★★★★★ IM/Ambulatory care ★★★★★★ Rheumatology ★★★★★★

Rojas MP, Telaro E, Russo A, et al. Follow-up strategies for women treated for early breast cancer. *Cochrane Database Syst Rev* 2005;(1):CD001768.

GP/FP/Primary care ★★★★★★ Oncology ★★★★★★

Shaukat A, Scouras N, Schunemann HJ. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol* 2005;**100**:390–4.

GP/FP/Primary care ★★★★★★ IM/Ambulatory care ★★★★★★ Gastroenterology ★★★★★★ Oncology ★★★★★★

Dorffler-Melly J, Koopman MM, Prins MH, et al. Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005;(1):CD002071.

GP/FP/Primary care ★★★★★★ Internal medicine ★★★★★★ Haematology ★★★★★★ Surgery ★★★★★★

Streppel MT, Arends LR, van 't Veer P, et al. Dietary fiber and blood pressure: a meta-analysis of randomized placebo-controlled trials. *Arch Intern Med* 2005;**165**:150–6.

GP/FP/Primary care ★★★★★★

van de Laar FA, Lucassen PL, Akkermans RP, et al. Alpha-glucosidase inhibitors for patients with type 2 diabetes: results from a Cochrane systematic review and meta-analysis. *Diabetes Care* 2005;**28**:154–63.

GP/FP/Primary care ★★★★★★ IM/Ambulatory care ★★★★★★ Endocrine ★★★★★★

Andersen NH, Poulsen PL, Knudsen ST, et al. Long-term dual blockade with candesartan and lisinopril in hypertensive

patients with diabetes: the CALM II study. *Diabetes Care* 2005;**28**:273–7.

GP/FP/Primary care ★★★★★★ IM/Ambulatory care ★★★★★★ Endocrine ★★★★★★

Kar BR, Handa S, Dogra S, et al. Placebo-controlled oral pulse prednisolone therapy in alopecia areata. *J Am Acad Dermatol* 2005;**52**:287–90.

GP/FP/Primary care ★★★★★★ Dermatology ★★★★★★

Fergusson D, Doucette S, Glass KC, et al. Association between suicide attempts and selective serotonin reuptake inhibitors: systematic review of randomised controlled trials. 2005;**330**:396.

GP/FP/Primary care ★★★★★★ IM/Ambulatory care ★★★★★★ Mental health ★★★★★★ Psychiatry ★★★★★★

Mendelow AD, Gregson BA, Fernandes HM, et al. Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *Lancet* 2005;**365**:387–97.

Internal medicine ★★★★★★ Neurology ★★★★★★ Surgery ★★★★★★

Wong CA, Scavone BM, Peaceman AM, et al. The risk of cesarean delivery with neuraxial analgesia given early versus late in labor. *N Engl J Med* 2005;**352**:655–65.

GP/FP/Anaesthesia ★★★★★★ GP/FP/Obstetrics ★★★★★★ Obstetrics ★★★★★★

Flather MD, Shibata MC, Coats AJ, et al. Randomized trial to determine the effect of nebivolol on mortality and cardiovascular hospital admission in elderly patients with heart failure (SENIORS). *Eur Heart J* 2005;**26**:215–25.

Cardiology ★★★★★★

Tharyan P, Adams CE. Electroconvulsive therapy for schizophrenia. *Cochrane Database Syst Rev* 2005;(2):CD000076.

Endocrine ★★★★★★

Beck JI, Boothroyd C, Proctor M, et al. Oral anti-oestrogens and medical adjuncts for subfertility associated with anovulation. *Cochrane Database Syst Rev* 2005;(1):CD002249.

Gynaecology ★★★★★★ Obstetrics ★★★★★★

Bradley R, Greene J, Russ E, et al. A multidimensional meta-analysis of psychotherapy for PTSD. *Am J Psychiatry* 2005;**162**:214–27.

Mental health ★★★★★★ Psychiatry ★★★★★★

Argyriou AA, Chroni E, Koutras A, et al. Vitamin E for prophylaxis against chemotherapy-induced neuropathy: a randomized controlled trial. *Neurology* 2005;**64**:26–31.

Neurology ★★★★★★ Oncology ★★★★★★

Costa J, Espirito-Santo C, Borges A, *et al.* Botulinum toxin type A versus anticholinergics for cervical dystonia. *Cochrane Database Syst Rev* 2005;(1):CD004312.

Neurology ★★★★★☆

Glazener CM, Evans JH, Peto RE. Alarm interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev* 2005;(2):CD002911.

Paediatrics ★★★★★☆

Bellamy N, Campbell J, Robinson V, *et al.* Intraarticular corticosteroid for treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev* 2005;(2):CD005328.

Physical medicine & rehabilitation ★★★★★☆

Rheumatology ★★★★★☆

Quinn MA, Conaghan PG, ÓConnor PJ, *et al.* Very early treatment with infliximab in addition to methotrexate in early, poor-prognosis rheumatoid arthritis reduces magnetic resonance imaging evidence of synovitis and damage, with sustained benefit after infliximab withdrawal: results from a twelve-month randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 2005;52:27–35.

Rheumatology ★★★★★☆

Hirschl M, Katzenschlager R, Francesconi C, *et al.* Low level laser therapy in primary Raynaud's phenomenon—results of a placebo controlled, double blind intervention study. *J Rheumatol* 2004;31:2408–12.

Rheumatology ★★★★★☆

Bucher P, Mermillod B, Gervaz P, *et al.* Mechanical bowel preparation for elective colorectal surgery: a meta-analysis. *Arch Surg* 2004;139:1359–64.

Surgery—colorectal ★★★★★☆

Altunajji S, Kukuruzovic R, Curtis N, *et al.* Antibiotics for whooping cough (pertussis). *Cochrane Database Syst Rev* 2005;(1):CD004404.

Tropical & travel medicine ★★★★★☆ Respiriology

★★★★☆ Paediatrics ★★★★★☆

Eisenhut M, Omari AA. Intrarectal quinine for treating *Plasmodium falciparum* malaria. *Cochrane Database Syst Rev* 2005;(1):CD004009.

Tropical & travel medicine ★★★★★☆

Cirillo DJ, Wallace RB, Rodabough RJ, *et al.* Effect of estrogen therapy on gallbladder disease. *JAMA* 2005;293:330–9.

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Gastroenterology ★★★★★☆

Rubak S, Sandbaek A, Lauritzen T, *et al.* Motivational interviewing: a systematic review and meta-analysis. *Br J Gen Pract* 2005;55:305–12.

GP/FP/Primary care ★★★★★☆

Milo G, Katchman EA, Paul M, *et al.* Duration of antibacterial treatment for uncomplicated urinary tract infection in women. *Cochrane Database Syst Rev* 2005;(2):CD004682.

GP/FP/Primary care ★★★★★☆ Infectious disease ★★★★★☆ Gynaecology ★★★★★☆

Stiasny-Kolster K, Benes H, Peglau I, *et al.* Effective cabergoline treatment in idiopathic restless legs syndrome. *Neurology* 2004;63:2272–9.

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Neurology ★★★★★☆

Sowers JR, White WB, Pitt B, *et al.* The effects of cyclooxygenase-2 inhibitors and nonsteroidal anti-inflammatory therapy on 24-hour blood pressure in patients with hypertension, osteoarthritis, and type 2 diabetes mellitus. *Arch Intern Med* 2005;165:161–8.

GP/FP/Primary care ★★★★★☆ Endocrine ★★★★★☆ Rheumatology ★★★★★☆

Simoens S, Matheson C, Bond C, *et al.* The effectiveness of community maintenance with methadone or buprenorphine for treating opiate dependence. *Br J Gen Pract* 2005;55:139–46.

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆

Cofalonieri M, Urbino R, Potena A, *et al.* Hydrocortisone infusion for severe community-acquired pneumonia: a preliminary randomized study. *Am J Respir Crit Care Med* 2005;171:242–8.

Internal medicine ★★★★★☆ Infectious disease ★★★★★☆ Respiriology ★★★★★☆

Costa J, Espirito-Santo C, Borges A, *et al.* Botulinum toxin type A therapy for cervical dystonia. *Cochrane Database Syst Rev* 2005;(1):CD003633.

Neurology ★★★★★☆

Arrich J, Piribauer F, Map P, *et al.* Intra-articular hyaluronic acid for the treatment of osteoarthritis of the knee: systematic review and meta-analysis. *CMAJ* 2005;172:1039–43.

Rheumatology ★★★★★☆ Orthopaedics ★★★★★☆

## PROGNOSIS

Heuts PH, de Bie R, Drieteelaar M, *et al.* Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. *J Rheumatol* 2005;32:543–9.

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Rheumatology ★★★★★☆

## AETIOLOGY

Martel MJ, Rey E, Beauchesne MF, *et al.* Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. *BMJ* 2005;330:230.

GP/FP/Primary care ★★★★★☆ Obstetrics ★★★★★☆ Respiriology ★★★★★☆

Albert CM, Chae CU, Rexrode KM, *et al.* Phobic anxiety and risk of coronary heart disease and sudden cardiac death among women. *Circulation* 2005;111:480–7.

Mental health ★★★★★☆ Cardiology ★★★★★☆

Kragelund C, Gronning B, Kober L, *et al.* N-terminalpro-B-type natriuretic peptide and long-term mortality in stable coronary heart disease. *N Engl J Med* 2005;352:666–75.

IM/Ambulatory care ★★★★★☆ Cardiology ★★★★★☆

## Evidence-Based Medicine October 2005

### Other articles noted

The purpose and procedure section in each issue of *Evidence-Based Medicine* describes the criteria for selecting articles for inclusion. The journals read are also listed in each issue. All articles that meet our criteria in the reviewed journals are cited in *Evidence-Based Medicine*, but there is not enough space to abstract them all. The following articles passed all criteria but were not abstracted. Practising clinicians rated them for clinical relevance and newsworthiness, and the mean scores are displayed. An abbreviated version of this list appears in the printed issue. To view a sample rating form, go to:

<http://hiru.mcmaster.ca/more/RatingFormSample.htm>.

Ratings have been provided for the following disciplines:

[General practice/Family practice/Primary care](#)

[General practice/Family practice/Anaesthesia](#)

[General practice/Family practice/Mental health](#)

[General practice/Family practice/Obstetrics](#)

[Internal medicine \(general\)](#)

[Internal medicine/Ambulatory care](#)

[Internal medicine/Allergy & immunology](#)

[Internal medicine/Cardiology](#)

[Internal medicine/Dermatology](#)

[Internal medicine/Endocrine](#)

[Internal medicine/Gastroenterology](#)

[Internal medicine/Geriatrics](#)

[Internal medicine/Haematology/Thrombosis](#)

[Internal medicine/Infectious disease](#)

[Internal medicine/Intensivist/Critical care](#)

[Internal medicine/Nephrology](#)

[Internal medicine/Neurology](#)

[Internal medicine/Oncology](#)

[Internal medicine/Physical Medicine and Rehabilitation](#)

[Internal medicine/Respirology/Pulmonary](#)

[Internal medicine/Rheumatology](#)

[Internal medicine/Tropical & travel medicine](#)

[Emergency medicine](#)

[Obstetrics/Gynaecology](#)

[Orthopaedics](#)

[Paediatrics](#)

[Psychiatry/Mental health](#)

[Public health](#)

[Surgery](#)

[Surgery/Colorectal](#)

[Surgery/Thoracic](#)

[Surgery/Vascular](#)

### GP/FP/Primary care

Kotowska M, Albrecht P, Szajewska H. Saccharomyces boulardii in the prevention of antibiotic-associated diarrhoea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther* 2005;**21**:583–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15740542&query\\_hl=17](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15740542&query_hl=17)

GP/FP/Primary care ★★★★★☆ Gastroenterology ★★★★★☆ Infectious disease ★★★★★☆ Paediatrics ★★★★★★

Borstad GC, Bryant LR, Abel MP, *et al.* Colchicine for prophylaxis of acute flares when initiating allopurinol for chronic gouty arthritis. *J Rheumatol* 2004;**31**:2429–32.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15570646&query\\_hl=21](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15570646&query_hl=21)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Rheumatology ★★★★★☆

Van de Laar FA, Lucassen PL, Akkermans RP, *et al.* Alpha-glucosidase inhibitors for type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2005;(2):CD003639.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846673&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846673&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Endocrine ★★★★★☆

Dorffler-Melly J, Koopman MM, Prins MH, *et al.* Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005(1):CD002071.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674891&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674891&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Internal medicine ★★★★★☆ Haematology/Thrombosis ★★★★★☆ Surgery ★★★★★☆

Kar BR, Handa S, Dogra S, *et al.* Placebo-controlled oral pulse prednisolone therapy in alopecia areata. *J Am Acad Dermatol* 2005;**52**:287–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15692475&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15692475&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Dermatology ★★★★★☆

Streppel MT, Arends LR, van 't Veer P, *et al.* Dietary fiber and blood pressure: a meta-analysis of randomized placebo-controlled trials. *Arch Intern Med* 2005;**165**:150–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15668359&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15668359&dopt=Abstract)

GP/FP/Primary care ★★★★★☆

Rojas MP, Telaro E, Russo A, *et al.* Follow-up strategies for women treated for early breast cancer. *Cochrane Database Syst Rev* 2005;(1):CD001768.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674884&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674884&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Oncology ★★★★★☆☆

Hooton TM, Scholes D, Gupta K, *et al.* Amoxicillin-clavulanate vs ciprofloxacin for the treatment of uncomplicated cystitis in women: a randomized trial. *JAMA* 2005;**293**:949–55.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15728165&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15728165&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Infectious disease ★★★★★☆☆

Heuts PH, de Bie R, Drietelaar M, *et al.* Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. *J Rheumatol* 2005;**32**:543–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15742451&query\\_hl=61](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15742451&query_hl=61)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆☆

Rheumatology ★★★★★☆☆

Fergusson D, Doucette S, Glass KC, *et al.* Association between suicide attempts and selective serotonin reuptake inhibitors: systematic review of randomised controlled trials. *BMJ* 2005;**330**:396.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15718539&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15718539&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Psychiatry ★★★★★☆☆

Andersen NH, Poulsen PL, Knudsen ST, *et al.* Long-term dual blockade with candesartan and lisinopril in hypertensive patients with diabetes: the CALM II study. *Diabetes Care* 2005;**28**:273–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15677778&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15677778&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆☆

Shaukat A, Scouras N, Schunemann HJ. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol* 2005;**100**:390–4.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15667497&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15667497&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆☆

Gastroenterology ★★★★★☆☆ Oncology ★★★★★☆☆

Megraud F; European Paediatric Task Force on Helicobacter pylori. Comparison of non-invasive tests to detect Helicobacter pylori infection in children and adolescents: results of a multicenter European study. *J Pediatr* 2005;**146**:198–203.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15689908&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15689908&dopt=Abstract)

GP/FP/Primary ★★★★★☆ Infectious disease ★★★★★☆☆ Paediatrics  
★★★★★☆☆

Friedman BW, Corbo J, Lipton RB, *et al.* A trial of metoclopramide vs sumatriptan for the emergency department treatment of migraines. *Neurology* 2005;**64**:463–8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15699376&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15699376&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Emergency medicine ★★★★★☆☆ Neurology  
★★★★★☆☆

McCurry SM, Gibbons LE, Logsdon RG, *et al.* Nighttime insomnia treatment and education for Alzheimer's disease: a randomized, controlled trial. *J Am Geriatr Soc* 2005;**53**:793–802.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15877554&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15877554&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology  
★★★★★☆☆

Martel MJ, Rey E, Beauchesne MF, *et al.* Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. *BMJ* 2005;**330**:230.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15659480&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15659480&dopt=Abstract)

GP/FP/Primary ★★★★★☆☆ GP/FP/Obstetrics ★★★★★☆☆  
Respirology/Pulmonology ★★★★★☆☆ Obstetrics ★★★★★☆☆

Olympia RP, Khine H, Avner JR. Effectiveness of oral dexamethasone in the treatment of moderate to severe pharyngitis in children. *Arch Pediatr Adolesc Med* 2005;**159**:278–82.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753273&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753273&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Paediatrics ★★★★★☆☆

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate therapy for prevention of hip fracture after stroke in elderly women. *Neurology* 2005;**64**:81–6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753414&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753414&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Geriatrics  
★★★★★☆☆ Neurology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Ballard C, Margallo-Lana M, Juszczak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆ Internal medicine ★★★★★☆ Geriatrics ★★★★★☆ Neurology ★★★★★☆ Psychiatry ★★★★★☆

Sandor PS, Di Clemente L, Coppola G, *et al.* Efficacy of coenzyme Q10 in migraine prophylaxis: a randomized controlled trial. *Neurology* 2005;**64**:713–5.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15728298&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15728298&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Neurology ★★★★★☆

Davidson JR, Connor KM, Hertzberg MA, *et al.* Maintenance therapy with fluoxetine in posttraumatic stress disorder: a placebo-controlled discontinuation study. *J Clin Psychopharmacol* 2005;**25**:166–9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738748&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738748&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆ Psychiatry ★★★★★☆

Rubak S, Sandbaek A, Lauritzen T, *et al.* Motivational interviewing: a systematic review and meta-analysis. *Br J Gen Pract* 2005;**55**:305–12.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15826439&query\\_hl=5](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15826439&query_hl=5)

GP/FP/Primary care ★★★★★☆

Garg AX, Adhikari NK, McDonald H, *et al.* Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA* 2005;**293**:1223–38.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15755945&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15755945&dopt=Abstract)

GP/FP/Primary care ★★★★★☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Allergy & Immunology ★★★★★☆ Cardiology ★★★★★☆ Respiratory/Pulmonology ★★★★★☆ Rheumatology ★★★★★☆

Januzzi JL Jr, Camargo CA, Anwaruddin S, *et al.* The N-terminal Pro-BNP investigation of dyspnea in the emergency department (PRIDE) study. *Am J Cardiol* 2005;**95**:948–54.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15820160&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15820160&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Emergency medicine ★★★★★☆ Internal medicine ★★★★★☆ Cardiology ★★★★★☆

Milo G, Katchman EA, Paul M, *et al.* Duration of antibacterial treatment for uncomplicated urinary tract infection in women. *Cochrane Database Syst Rev* 2005;(2):CD004682.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846726&query\\_hl=13](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846726&query_hl=13)

GP/FP/Primary care ★★★★★☆☆ Infectious disease ★★★★★☆☆ Gynaecology ★★★★★☆☆

Stiasny-Kolster K, Benes H, Peglau I, *et al.* Effective cabergoline treatment in idiopathic restless legs syndrome. *Neurology* 2004;**63**:2272–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15623686&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15623686&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Neurology ★★★★★☆☆

Cirillo DJ, Wallace RB, Rodabough RJ, *et al.* Effect of estrogen therapy on gallbladder disease. *JAMA* 2005;**293**:330–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15657326&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15657326&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Gastroenterology ★★★★★☆☆

Sowers JR, White WB, Pitt B, *et al.* The Effects of cyclooxygenase-2 inhibitors and nonsteroidal anti-inflammatory therapy on 24-hour blood pressure in patients with hypertension, osteoarthritis, and type 2 diabetes mellitus. *Arch Intern Med* 2005;**165**:161–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15668361&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15668361&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Endocrine ★★★★★☆☆ Rheumatology ★★★★★☆☆

Simoens S, Matheson C, Bond C, *et al.* The effectiveness of community maintenance with methadone or buprenorphine for treating opiate dependence. *Br J Gen Pract* 2005;**55**:139–46.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15720937&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15720937&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆

Buttery JP, Riddell A, McVernon J, *et al.* Immunogenicity and safety of a combination pneumococcal-meningococcal vaccine in infants: a randomized controlled trial. *JAMA* 2005;**293**:1751–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15827314&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15827314&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Mitte K, Noack P, Steil R, *et al.* A meta-analytic review of the efficacy of drug treatment in generalized anxiety disorder. *J Clin Psychopharmacol* 2005;**25**:141–50.



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738745&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738745&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Psychiatry  
★★★★★☆☆

Ho C, Tran K, Hux M, *et al.* Artificial skin grafts in chronic wound care: a meta-analysis of clinical efficacy and a review of cost-effectiveness. *Canadian Coordinating Office for Health Technology Assessment (CCOHTA)* 2005 Feb;(52).

[http://www.ccohta.ca/entry\\_e.html](http://www.ccohta.ca/entry_e.html)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Endocrine  
★★★★★☆☆ Dermatology ★★★★★☆☆

Vasan RS, Sullivan LM, Wilson PW, *et al.* Relative importance of borderline and elevated levels of coronary heart disease risk factors. *Ann Intern Med* 2005;**142**:393–402.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15767617&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15767617&dopt=Abstract)

GP/FP/Primary ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Cardiology  
★★★★★☆☆ Public health ★★★★★☆☆

Sarnak MJ, Greene T, Wang X, *et al.* The effect of a lower target blood pressure on the progression of kidney disease: long-term follow-up of the modification of diet in renal disease study. *Ann Intern Med* 2005;**142**:342–51.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738453&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory medicine ★★★★★☆☆  
Endocrine ★★★★★☆☆

### **GP/FP/Anaesthesia**

Wong CA, Scavone BM, Peaceman AM, *et al.* The risk of cesarean delivery with neuraxial analgesia given early versus late in labor. *N Engl J Med* 2005;**352**:655–65.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15716559&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15716559&dopt=Abstract)

GP/FP/Anaesthesia ★★★★★☆☆ GP/FP/Obstetrics ★★★★★☆☆ Obstetrics  
★★★★★☆☆

### **GP/FP/Mental health**

Bradley R, Greene J, Russ E, *et al.* A multidimensional meta-analysis of psychotherapy for PTSD. *Am J Psychiatry* 2005;**162**:214–27.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15677582&query\\_hl=7](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15677582&query_hl=7)

Mental health ★★★★★☆☆ Psychiatry ★★★★★☆☆

Albert CM, Chae CU, Rexrode KM, *et al.* Phobic anxiety and risk of coronary heart disease and sudden cardiac death among women. *Circulation* 2005;**111**:480–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15687137&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15687137&dopt=Abstract)

Mental health ★★★★★☆ Cardiology ★★★★★☆☆

Fergusson D, Doucette S, Glass KC, *et al.* Association between suicide attempts and selective serotonin reuptake inhibitors: systematic review of randomised controlled trials. *BMJ* 2005;**330**:396.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15718539&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15718539&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆ IM/Ambulatory care ★★★★★☆☆ Psychiatry ★★★★★☆☆

Davidson JR, Connor KM, Hertzberg MA, *et al.* Maintenance therapy with fluoxetine in posttraumatic stress disorder: a placebo-controlled discontinuation study. *J Clin Psychopharmacol* 2005;**25**:166–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738748&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738748&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆☆ Psychiatry ★★★★★☆☆

Mitte K, Noack P, Steil R, *et al.* A meta-analytic review of the efficacy of drug treatment in generalized anxiety disorder. *J Clin Psychopharmacol* 2005;**25**:141–50.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738745&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738745&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆☆ Psychiatry ★★★★★☆☆

Simoens S, Matheson C, Bond C, *et al.* The effectiveness of community maintenance with methadone or buprenorphine for treating opiate dependence. *Br J Gen Pract* 2005;**55**:139–46.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15720937&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15720937&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆☆

Ballard C, Margallo-Lana M, Juszcak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Mental health ★★★★★☆ Internal medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Psychiatry ★★★★★☆☆

### **GP/FP/Obstetrics**

Wong CA, Scavone BM, Peaceman AM, *et al.* The risk of cesarean delivery with neuraxial analgesia given early versus late in labor. *N Engl J Med* 2005;**352**:655–65.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15716559&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15716559&dopt=Abstract)

GP/FP/Anaesthesia ★★★★★☆ GP/FP/Obstetrics ★★★★★☆ Obstetrics  
★★★★★☆☆

Tan A, Schulze A, O'Donnell CP, *et al.* Air versus oxygen for resuscitation of infants at birth. *Cochrane Database Syst Rev* 2005;(2):CD002273..  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846632&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846632&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Paediatrics ★★★★★☆

Meyer M, Pflum J, Howard D. Outpatient misoprostol compared with dinoprostone gel for preinduction cervical ripening: a randomized controlled trial. *Obstet Gynecol*.2005;**105**:466–72.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738009&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738009&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Aleman A, Althabe F, Belizan J, *et al.* Bed rest during pregnancy for preventing miscarriage. *Cochrane Database Syst Rev* 2005;(2):CD003576.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846669&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846669&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Martel MJ, Rey E, Beauchesne MF, *et al.* Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. *BMJ* 2005;**330**:230.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15659480&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15659480&dopt=Abstract)

GP/FP/Primary ★★★★★☆ GP/FP/Obstetrics ★★★★★☆  
Respirology/Pulmonology ★★★★★☆ Obstetrics ★★★★★☆

Casanueva E, Ripoll C, Tolentino M, *et al.* Vitamin C supplementation to prevent premature rupture of the chorioamniotic membranes: a randomized trial. *Am J Clin Nutr* 2005;**81**:859–63.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15817864&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15817864&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

de Carvalho MH, Bittar RE, Brizot RE, *et al.* Prediction of preterm delivery in the second trimester. *Obstet Gynecol* 2005;**105**:532–6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738020&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738020&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Deulofeut R, Sola A, Lee B, *et al.* The impact of vaginal delivery in premature infants weighing less than 1,251 grams. *Obstet Gynecol* 2005;**105**:525–31.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738019&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738019&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆☆ Paediatrics ★★★★★★ Obstetrics  
★★★★★☆☆

**Internal medicine (general)**

Sackner-Bernstein JD, Skopicki HA, Aaronson KD. Risk of worsening renal function with nesiritide in patients with acutely decompensated heart failure. *Circulation* 2005;**111**:1487–91.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15781736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15781736&dopt=Abstract)

Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆ Nephrology  
★★★★★☆☆

Dorffler-Melly J, Koopman MM, Prins MH, *et al.* Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005(1):CD002071.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674891&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674891&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆ Surgery  
★★★★★☆☆

Mendelow AD, Gregson BA, Fernandes HM, *et al.* Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *Lancet* 2005;**365**:387–97.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15680453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15680453&dopt=Abstract)

Internal medicine ★★★★★☆☆ Neurology ★★★★★☆☆ Surgery ★★★★★☆☆

Confalonieri M, Urbino R, Potena A, *et al.* Hydrocortisone infusion for severe community-acquired pneumonia: a preliminary randomized study. *Am J Respir Crit Care Med* 2005;**171**:242–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15557131&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15557131&dopt=Abstract)

Internal medicine ★★★★★☆☆ Infectious disease ★★★★★☆☆  
Respirology/Pulmonology ★★★★★☆☆

Ballard C, Margallo-Lana M, Juszczak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Internal medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆  
Psychiatry ★★★★★☆☆

Tooher R, Middleton P, Pham C, *et al.* A systematic review of strategies to improve prophylaxis for venous thromboembolism in hospitals. *Ann Surg* 2005;**241**:397–415.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15729062&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15729062&dopt=Abstract)

Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆

Kragelund C, Gronning B, Kober L, *et al.* N-terminal pro-B-type natriuretic peptide and long-term mortality in stable coronary heart disease. *N Engl J Med* 2005;**352**:666–75.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15716560&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15716560&dopt=Abstract)

Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

Januzzi JL Jr, Camargo CA, Anwaruddin S, *et al.* The N-terminal Pro-BNP investigation of dyspnea in the emergency department (PRIDE) study. *Am J Cardiol* 2005;**95**:948–54.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15820160&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15820160&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Emergency medicine ★★★★★☆☆ Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

#### **Internal medicine/Ambulatory care**

McAlister F, Ezekowitz J, Wiebe N, *et al.* Cardiac resynchronization therapy for congestive heart failure.

*Evid Rep Technol Assess (Summ)* 2004;**106**:1–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15612141&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15612141&dopt=Abstract)

Internal Medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

Dorffler-Melly J, Koopman MM, Prins MH, *et al.* Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005(1):CD002071.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674891&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674891&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆ Surgery ★★★★★☆☆

Borstad GC, Bryant LR, Abel MP, *et al.* Colchicine for prophylaxis of acute flares when initiating allopurinol for chronic gouty arthritis. *J Rheumatol* 2004;**31**:2429–32.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15570646&query\\_hl=21](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15570646&query_hl=21)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Rheumatology ★★★★★☆☆

Sarnak MJ, Greene T, Wang X, *et al.* The effect of a lower target blood pressure on the progression of kidney disease: long-term follow-up of the modification of diet in renal disease study. *Ann Intern Med* 2005;**142**:342–51.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738453&dopt=Abstract)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆☆

Vasan RS, Sullivan LM, Wilson PW, *et al.* Relative importance of borderline and elevated levels of coronary heart disease risk factors. *Ann Intern Med* 2005;**142**:393–402.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15767617&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15767617&dopt=Abstract)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Cardiology ★★★★★☆☆ Public health ★★★★★☆☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Allergy & Immunology ★★★★★☆☆ Cardiology ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Ho C, Tran K, Hux M, *et al.* Artificial skin grafts in chronic wound care: a meta-analysis of clinical efficacy and a review of cost-effectiveness. Canadian Coordinating Office for Health Technology Assessment (CCOHTA) 2005 Feb;(52).  
[http://www.ccohta.ca/entry\\_e.html](http://www.ccohta.ca/entry_e.html)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆☆ Dermatology ★★★★★☆☆

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate therapy for prevention of hip fracture after stroke in elderly women. *Neurology* 2005;**64**:81–6.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753414&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753414&dopt=Abstract)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Andersen NH, Poulsen PL, Knudsen ST, *et al.* Long-term dual blockade with candesartan and lisinopril in hypertensive patients with diabetes: the CALM II study. *Diabetes Care* 2005;**28**:273–7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15677778&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15677778&dopt=Abstract)  
GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆☆

Van de Laar FA, Lucassen PL, Akkermans RP, *et al.* Alpha-glucosidase inhibitors for type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2005;(2):CD003639.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846673&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846673&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆

Stiasny-Kolster K, Benes H, Peglau I, *et al.* Effective cabergoline treatment in idiopathic restless legs syndrome. *Neurology* 2004;**63**:2272–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15623686&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15623686&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Neurology ★★★★★☆☆

Heuts PH, de Bie R, Drietelaar M, *et al.* Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. *J Rheumatol* 2005;**32**:543–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15742451&query\\_hl=61](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15742451&query_hl=61)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Rheumatology ★★★★★☆☆

Shaukat A, Scouras N, Schunemann HJ. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol* 2005;**100**:390–4.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15667497&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15667497&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Gastroenterology ★★★★★☆☆ Oncology ★★★★★☆☆

Fergusson D, Doucette S, Glass KC, *et al.* Association between suicide attempts and selective serotonin reuptake inhibitors: systematic review of randomised controlled trials. *BMJ* 2005;**330**:396.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15718539&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15718539&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Psychiatry ★★★★★☆☆

Cirillo DJ, Wallace RB, Rodabough RJ, *et al.* Effect of estrogen therapy on gallbladder disease. *JAMA* 2005;**293**:330–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15657326&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15657326&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Gastroenterology ★★★★★☆☆

### Internal Medicine/Allergy & immunology

Koreck AI, Csoma Z, Bodai L, *et al.* Rhinophototherapy: a new therapeutic tool for the management of allergic rhinitis. *J Allergy Clin Immunol* 2005;**115**:541–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753902&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753902&dopt=Abstract)

Allergy & immunology ★★★★★☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Allergy & Immunology ★★★★★☆☆ Cardiology ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Rheumatology ★★★★★☆☆

### Internal Medicine/Cardiology

McAlister F, Ezekowitz J, Wiebe N, *et al.* Cardiac resynchronization therapy for congestive heart failure.

*Evid Rep Technol Assess (Summ)* 2004;**106**:1–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15612141&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15612141&dopt=Abstract)

IM/Ambulatory care ★★★★★☆☆ Cardiology ★★★★★☆☆

Sackner-Bernstein JD, Skopicki HA, Aaronson KD. Risk of worsening renal function with nesiritide in patients with acutely decompensated heart failure. *Circulation* 2005;**111**:1487–91.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15781736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15781736&dopt=Abstract)

Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆ Nephrology ★★★★★☆☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Allergy & Immunology ★★★★★☆☆ Cardiology ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Vasan RS, Sullivan LM, Wilson PW, *et al.* Relative importance of borderline and elevated levels of coronary heart disease risk factors. *Ann Intern Med* 2005;**142**:393–402.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15767617&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15767617&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Cardiology ★★★★★☆☆ Public health ★★★★★☆☆

Januzzi JL Jr, Camargo CA, Anwaruddin S, *et al.* The N-terminal Pro-BNP investigation of dyspnea in the emergency department (PRIDE) study. *Am J Cardiol* 2005;**95**:948–54.



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15820160&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15820160&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Emergency medicine ★★★★★☆☆ Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

Kragelund C, Gronning B, Kober L, *et al.* N-terminal pro-B-type natriuretic peptide and long-term mortality in stable coronary heart disease. *N Engl J Med* 2005;**352**:666–75.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15716560&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15716560&dopt=Abstract)

Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

Flather MD, Shibata MC, Coats AJ, *et al.* Randomized trial to determine the effect of nebivolol on mortality and cardiovascular hospital admission in elderly patients with heart failure (SENIORS). *Eur Heart J* 2005;**26**:215–25.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15642700&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15642700&dopt=Abstract)

Cardiology ★★★★★☆☆

Liao L, Sarria-Santamera A, Matcher DB, *et al.* Meta-analysis of survival and relief of angina pectoris after transmyocardial revascularization. *Am J Cardiol* 2005;**95**:1243–5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15878002&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15878002&dopt=Abstract)

Cardiology ★★★★★☆☆ Surgery—Thoracic ★★★★★☆☆

Albert CM, Chae CU, Rexrode KM, *et al.* Phobic anxiety and risk of coronary heart disease and sudden cardiac death among women. *Circulation* 2005;**111**:480–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15687137&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15687137&dopt=Abstract)

Mental health ★★★★★☆☆ Cardiology ★★★★★☆☆

### Internal Medicine/Dermatology

Kar BR, Handa S, Dogra S, *et al.* Placebo-controlled oral pulse prednisolone therapy in alopecia areata. *J Am Acad Dermatol* 2005;**52**:287–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15692475&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15692475&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Dermatology ★★★★★☆☆

Ho C, Tran K, Hux M, *et al.* Artificial skin grafts in chronic wound care: a meta-analysis of clinical efficacy and a review of cost-effectiveness. Canadian Coordinating Office for Health Technology Assessment (CCOHTA) 2005 Feb;(52).

[http://www.ccohta.ca/entry\\_e.html](http://www.ccohta.ca/entry_e.html)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Endocrine ★★★★★☆☆ Dermatology ★★★★★☆☆

### Internal Medicine/Endocrine

Tharyan P, Adams CE. Electroconvulsive therapy for

chizophrenia. *Cochrane Database Syst Rev* 2005;(2):CD000076.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846598&query\\_hl=23](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846598&query_hl=23)

Endocrine ★★★★★☆

Sarnak MJ, Greene T, Wang X, *et al.* The effect of a lower target blood pressure on the progression of kidney disease: long-term follow-up of the modification of diet in renal disease study. *Ann Intern Med* 2005;**142**:342–51.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738453&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Endocrine ★★★★★☆

Andersen NH, Poulsen PL, Knudsen ST, *et al.* Long-term dual blockade with candesartan and lisinopril in hypertensive patients with diabetes: the CALM II study. *Diabetes Care* 2005;**28**:273–7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15677778&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15677778&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Endocrine ★★★★★☆

Van de Laar FA, Lucassen PL, Akkermans RP, *et al.* Alpha-glucosidase inhibitors for type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2005;(2):CD003639.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846673&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846673&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Endocrine ★★★★★☆

Sowers JR, White WB, Pitt B, *et al.* The Effects of cyclooxygenase-2 inhibitors and nonsteroidal anti-inflammatory therapy on 24-hour blood pressure in patients with hypertension, osteoarthritis, and type 2 diabetes mellitus. *Arch Intern Med* 2005;**165**:161–8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15668361&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15668361&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Endocrine ★★★★★☆ Rheumatology ★★★★★☆

Ho C, Tran K, Hux M, *et al.* Artificial skin grafts in chronic wound care: a meta-analysis of clinical efficacy and a review of cost-effectiveness. Canadian Coordinating Office for Health Technology Assessment (CCOHTA) 2005 Feb;(52).  
[http://www.ccohta.ca/entry\\_e.html](http://www.ccohta.ca/entry_e.html)

GP/FP/Primary care ★★★★★☆ IM/Ambulatory care ★★★★★☆ Endocrine ★★★★★☆ Dermatology ★★★★★☆

### **Internal Medicine/Gastroenterology**

Cirillo DJ, Wallace RB, Rodabough RJ, *et al.* Effect of estrogen therapy on gallbladder disease. *JAMA* 2005;**293**:330–9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15657326&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15657326&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆  
Gastroenterology ★★★★★☆☆

Kotowska M, Albrecht P, Szajewska H. *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhoea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther* 2005;**21**:583–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15740542&query\\_hl=17](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15740542&query_hl=17)

GP/FP/Primary care ★★★★★☆☆ Gastroenterology ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Shaukat A, Scouras N, Schunemann HJ. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol* 2005;**100**:390–4.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15667497&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15667497&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆  
Gastroenterology ★★★★★☆☆ Oncology ★★★★★☆☆

### Internal Medicine/Geriatrics

Ballard C, Margallo-Lana M, Juszcak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Internal medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Psychiatry ★★★★★☆☆

McCurry SM, Gibbons LE, Logsdon RG, *et al.* Nighttime insomnia treatment and education for Alzheimer's disease: a randomized, controlled trial. *J Am Geriatr Soc* 2005;**53**:793–802.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15877554&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15877554&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Geriatrics ★★★★★☆☆  
Neurology ★★★★★☆☆

McMurdo ME, Bissett LY, Price RJ, *et al.* Does ingestion of cranberry juice reduce symptomatic urinary tract infections in older people in hospital? A double-blind, placebo-controlled trial. *Age Ageing* 2005;**34**:256–61.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15863410&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15863410&dopt=Abstract)

Geriatrics ★★★★★☆☆ Infectious disease ★★★★★☆☆

Modrego PJ, Fayed N, Pina MA. Conversion from mild cognitive impairment to probable Alzheimer's disease predicted by brain magnetic resonance spectroscopy. *Am J Psychiatry* 2005;**162**:667–75.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15800137&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15800137&dopt=Abstract)

Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate therapy for prevention of hip fracture after stroke in elderly women. *Neurology* 2005;**64**:81–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753414&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753414&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Rheumatology ★★★★★☆☆

### **Internal Medicine/Haematology/Thrombosis**

Dorffler-Melly J, Koopman MM, Prins MH, *et al.* Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005(1):CD002071.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674891&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674891&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆ Surgery ★★★★★☆☆

Toohar R, Middleton P, Pham C, *et al.* A systematic review of strategies to improve prophylaxis for venous thromboembolism in hospitals. *Ann Surg* 2005;**241**:397–415.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15729062&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15729062&dopt=Abstract)

Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆

### **Internal Medicine/Infectious disease**

Milo G, Katchman EA, Paul M, *et al.* Duration of antibacterial treatment for uncomplicated urinary tract infection in women. *Cochrane Database Syst Rev* 2005;(2):CD004682.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846726&query\\_hl=13](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846726&query_hl=13)

GP/FP/Primary care ★★★★★☆☆ Infectious disease ★★★★★☆☆ Gynaecology ★★★★★☆☆

Confalonieri M, Urbino R, Potena A, *et al.* Hydrocortisone infusion for severe community-acquired pneumonia: a preliminary randomized study. *Am J Respir Crit Care Med* 2005;**171**:242–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15557131&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15557131&dopt=Abstract)

Internal medicine ★★★★★☆☆ Infectious disease ★★★★★☆☆

Respirology/Pulmonology ★★★★★☆☆

Kotowska M, Albrecht P, Szajewska H. Saccharomyces boulardii in the prevention of antibiotic-associated diarrhoea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther* 2005;**21**:583–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15740542&query\\_hl=17](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15740542&query_hl=17)

GP/FP/Primary care ★★★★★☆☆ Gastroenterology ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Megraud F; European Paediatric Task Force on Helicobacter pylori. Comparison of non-invasive tests to detect Helicobacter pylori infection in children and adolescents: results of a multicenter European study. *J Pediatr* 2005;**146**:198–203.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15689908&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15689908&dopt=Abstract)

GP/FP/Primary ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Locksmith GJ, Chin A, Vu T, *et al.* High compared with standard gentamicin dosing for chorioamnionitis: a comparison of maternal and fetal serum drug levels. *Obstet Gynecol* 2005;**105**:473–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738010&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738010&dopt=Abstract)

Infectious disease ★★★★★☆☆ Obstetrics ★★★★★☆☆

McMurdo ME, Bissett LY, Price RJ, *et al.* Does ingestion of cranberry juice reduce symptomatic urinary tract infections in older people in hospital? A double-blind, placebo-controlled trial. *Age Ageing* 2005;**34**:256–61.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15863410&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15863410&dopt=Abstract)

Geriatrics ★★★★★☆☆ Infectious disease ★★★★★☆☆

Buttery JP, Riddell A, McVernon J, *et al.* Immunogenicity and safety of a combination pneumococcal-meningococcal vaccine in infants: a randomized controlled trial. *JAMA* 2005;**293**:1751–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15827314&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15827314&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Hooton TM, Scholes D, Gupta K, *et al.* Amoxicillin-clavulanate vs ciprofloxacin for the treatment of uncomplicated cystitis in women: a randomized trial. *JAMA* 2005;**293**:949–55.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15728165&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15728165&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Infectious disease ★★★★★☆☆

### **Internal Medicine/Intensivist/Critical Care**

Frass M, Dielacher C, Linkesch M, *et al.* Influence of potassium dichromate on tracheal secretions in critically ill patients. *Chest*. 2005;**127**:936–41.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15764779&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15764779&dopt=Abstract)

Intensivist/Critical care ★★★★★☆☆

### **Internal Medicine/Nephrology**

Barrilleaux PS, Martin JN Jr, Klauser CK, *et al.* Postpartum intravenous dexamethasone for severely preeclamptic patients without hemolysis, elevated liver enzymes, low platelets (HELLP) syndrome: a randomized trial. *Obstet Gynecol* 2005;**105**:843–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15802415&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15802415&dopt=Abstract)

Nephrology ★★★★★☆☆ Obstetrics ★★★★★☆☆

Sackner-Bernstein JD, Skopicki HA, Aaronson KD. Risk of worsening renal function with nesiritide in patients with acutely decompensated heart failure. *Circulation* 2005;**111**:1487–91.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15781736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15781736&dopt=Abstract)

Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆ Nephrology ★★★★★☆☆

Patel ST, Mills JL Sr, Tynan-Cuisinier G, *et al.* The limitations of magnetic resonance angiography in the diagnosis of renal artery stenosis: comparative analysis with conventional arteriography. *J Vasc Surg* 2005;**41**:462–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15838481&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15838481&dopt=Abstract)

Nephrology ★★★★★☆☆ Surgery—Vascular ★★★★★☆☆

### **Internal Medicine/Neurology**

Ballard C, Margallo-Lana M, Juszczak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Internal medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Psychiatry ★★★★★☆☆

Argyriou AA, Chroni E, Koutras A, *et al.* Vitamin E for prophylaxis against chemotherapy-induced neuropathy: a randomized controlled trial. *Neurology* 2005;**64**:26–31.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15642899&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15642899&dopt=Abstract)

Neurology ★★★★★☆ Oncology ★★★★★☆

Friedman BW, Corbo J, Lipton RB, *et al.* A trial of metoclopramide vs sumatriptan for the emergency department treatment of migraines. *Neurology* 2005;**64**:463–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15699376&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15699376&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Emergency medicine ★★★★★☆☆ Neurology ★★★★★☆

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate therapy for prevention of hip fracture after stroke in elderly women. *Neurology* 2005;**64**:81–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753414&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753414&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Internal Medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆ Rheumatology ★★★★★☆

Costa J, Espirito-Santo C, Borges A, *et al.* Botulinum toxin type A therapy for cervical dystonia. *Cochrane Database Syst Rev* 2005;(1):CD003633.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15674910&query\\_hl=25](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15674910&query_hl=25)

Neurology ★★★★★☆☆

Modrego PJ, Fayed N, Pina MA. Conversion from mild cognitive impairment to probable Alzheimer's disease predicted by brain magnetic resonance spectroscopy. *Am J Psychiatry* 2005;**162**:667–75.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15800137&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15800137&dopt=Abstract)

Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆

Roed HG, Langkilde A, Sellebjerg F, *et al.* A double-blind, randomized trial of IV immunoglobulin treatment in acute optic neuritis. *Neurology* 2005;**64**:804–10.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753413&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753413&dopt=Abstract)

Neurology ★★★★★☆☆

McCurry SM, Gibbons LE, Logsdon RG, *et al.* Nighttime insomnia treatment and education for Alzheimer's disease: a randomized, controlled trial. *J Am Geriatr Soc* 2005;**53**:793–802.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15877554&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15877554&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Geriatrics ★★★★★☆ Neurology ★★★★★☆☆

Mendelow AD, Gregson BA, Fernandes HM, *et al.* Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *Lancet* 2005;**365**:387–97.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15680453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15680453&dopt=Abstract)

Internal medicine ★★★★★☆ Neurology ★★★★★☆☆ Surgery ★★★★★☆☆

Sandor PS, Di Clemente L, Coppola G, *et al.* Efficacy of coenzyme Q10 in migraine prophylaxis: a randomized controlled trial. *Neurology* 2005;**64**:713-5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15728298&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15728298&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Neurology ★★★★★☆☆

Stiasny-Kolster K, Benes H, Peglau I, *et al.* Effective cabergoline treatment in idiopathic restless legs syndrome. *Neurology* 2004;**63**:2272–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15623686&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15623686&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Neurology ★★★★★☆☆

### **Internal Medicine/Oncology**

Argyriou AA, Chroni E, Koutras A, *et al.* Vitamin E for prophylaxis against chemotherapy-induced neuropathy: a randomized controlled trial. *Neurology* 2005;**64**:26–31.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15642899&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15642899&dopt=Abstract)

Neurology ★★★★★☆☆ Oncology ★★★★★☆☆

Rojas MP, Telaro E, Russo A, *et al.* Follow-up strategies for women treated for early breast cancer. *Cochrane Database Syst Rev* 2005;(1):CD001768.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674884&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674884&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Oncology ★★★★★☆☆

Shaukat A, Scouras N, Schunemann HJ. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol* 2005;**100**:390–4.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15667497&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15667497&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Gastroenterology ★★★★★☆☆ Oncology ★★★★★☆☆

### **Internal Medicine/Physical Medicine and Rehabilitation**

Bellamy N, Campbell J, Robinson V, *et al.* Intraarticular corticosteroid for treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev* 2005;(2):CD005328.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846755&query\\_hl=11](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846755&query_hl=11)



Physical medicine & rehabilitation ★★★★★☆ Rheumatology ★★★★★☆

### Internal Medicine/Respirology/Pulmonology

Martel MJ, Rey E, Beauchesne MF, *et al.* Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. *BMJ* 2005;**330**:230.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15659480&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15659480&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ GP/FP/Obstetrics ★★★★★☆

Respirology/Pulmonology ★★★★★☆ Obstetrics ★★★★★☆

Confalonieri M, Urbino R, Potena A, *et al.* Hydrocortisone infusion for severe community-acquired pneumonia: a preliminary randomized study. *Am J Respir Crit Care Med* 2005;**171**:242–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15557131&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15557131&dopt=Abstract)

Internal medicine ★★★★★☆ Infectious disease ★★★★★☆

Respirology/Pulmonology ★★★★★☆

Perrotta C, Ortiz Z, Roque M. Chest physiotherapy for acute bronchiolitis in paediatric patients between 0 and 24 months old. *Cochrane Database Syst Rev* 2005;(2):CD004873.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846736&dopt=Abstract)

Emergency medicine ★★★★★☆ Respirology/Pulmonology ★★★★★☆

Paediatrics ★★★★★☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Internal Medicine ★★★★★☆ Allergy & Immunology ★★★★★☆ Cardiology ★★★★★☆ Respirology/Pulmonology ★★★★★☆ Rheumatology ★★★★★☆

Altunajji S, Kukuruzovic R, Curtis N, *et al.* Antibiotics for whooping cough (pertussis). *Cochrane Database Syst Rev* 2005;(1):CD004404.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15674946&query\\_hl=15](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15674946&query_hl=15)

Tropical & travel medicine ★★★★★☆ Respirology/Pulmonology ★★★★★☆

Paediatrics ★★★★★☆

### Internal Medicine/Rheumatology

Hirschl M, Katzenschlager R, Francesconi C, *et al.* Low level laser therapy in primary Raynaud's phenomenon—results of a placebo controlled, double blind intervention study. *J Rheumatol* 2004;**31**:2408–12.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15570642&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15570642&dopt=Abstract)

Rheumatology ★★★★★☆

Mortimer KJ, Harrison TW, Tattersfield AE. Effects of inhaled corticosteroids on bone. *Ann Allergy Asthma Immunol* 2005;**94**:15–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15702810&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15702810&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Allergy & Immunology ★★★★★☆☆ Cardiology ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate therapy for prevention of hip fracture after stroke in elderly women. *Neurology* 2005;**64**:81–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753414&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753414&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆ Rheumatology ★★★★★☆☆

Bellamy N, Campbell J, Robinson V, *et al.* Intraarticular corticosteroid for treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev* 2005;(2):CD005328.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846755&query\\_hl=11](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846755&query_hl=11)

Physical medicine & rehabilitation ★★★★★☆☆ Rheumatology ★★★★★☆☆

Quinn MA, Conaghan PG, O`Connor PJ, *et al.* Very early treatment with infliximab in addition to methotrexate in early, poor-prognosis rheumatoid arthritis reduces magnetic resonance imaging evidence of synovitis and damage, with sustained benefit after infliximab withdrawal: results from a twelve-month randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 2005;**52**:27–35.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15641102&query\\_hl=19](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15641102&query_hl=19)

Rheumatology ★★★★★☆☆

Arrich J, Piribauer F, Map P, *et al.* Intra-articular hyaluronic acid for the treatment of osteoarthritis of the knee: systematic review and meta-analysis. *CMAJ* 2005;**172**:1039–43.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15824412&query\\_hl=9](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824412&query_hl=9)

Rheumatology ★★★★★☆☆ Orthopaedics ★★★★★☆☆

Heuts PH, de Bie R, Drietelaar M, *et al.* Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. *J Rheumatol* 2005;**32**:543–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15742451&query\\_hl=61](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15742451&query_hl=61)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Rheumatology ★★★★★☆☆

Sowers JR, White WB, Pitt B, *et al.* The Effects of cyclooxygenase-2 inhibitors and nonsteroidal anti-inflammatory therapy on 24-hour blood pressure in patients with hypertension, osteoarthritis, and type 2 diabetes mellitus. *Arch Intern Med* 2005;**165**:161–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15668361&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15668361&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Endocrine ★★★★★☆☆ Rheumatology ★★★★★☆☆

Borstad GC, Bryant LR, Abel MP, *et al.* Colchicine for prophylaxis of acute flares when initiating allopurinol for chronic gouty arthritis. *J Rheumatol* 2004;**31**:2429–32.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15570646&query\\_hl=21](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15570646&query_hl=21)

GP/FP/Primary care ★★★★★☆☆ IM/Ambulatory care ★★★★★☆☆ Rheumatology ★★★★★☆☆

### **Internal Medicine/Tropical and Travel Medicine**

Altunaiji S, Kukuruzovic R, Curtis N, *et al.* Antibiotics for whooping cough (pertussis). *Cochrane Database Syst Rev* 2005;(1):CD004404.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15674946&query\\_hl=15](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15674946&query_hl=15)

Tropical & travel medicine ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Paediatrics ★★★★★☆☆

Eisenhut M, Omari AA. Intrarectal quinine for treating Plasmodium falciparum malaria. *Cochrane Database Syst Rev* 2005;(1):CD004009.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674922&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674922&dopt=Abstract)

Tropical & travel medicine ★★★★★☆☆

### **Emergency medicine**

Friedman BW, Corbo J, Lipton RB, *et al.* A trial of metoclopramide vs sumatriptan for the emergency department treatment of migraines. *Neurology* 2005;**64**:463–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15699376&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15699376&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Emergency medicine ★★★★★☆☆ Neurology ★★★★★☆☆

Januzzi JL Jr, Camargo CA, Anwaruddin S, *et al.* The N-terminal Pro-BNP investigation of dyspnea in the emergency department (PRIDE) study. *Am J Cardiol* 2005;**95**:948–54.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15820160&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15820160&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Emergency medicine ★★★★★☆☆ Internal medicine ★★★★★☆☆ Cardiology ★★★★★☆☆

Perrotta C, Ortiz Z, Roque M. Chest physiotherapy for acute bronchiolitis in paediatric patients between 0 and 24 months old. *Cochrane Database Syst Rev* 2005;(2):CD004873.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846736&dopt=Abstract)

Emergency medicine ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆  
Paediatrics ★★★★★☆☆

### **Obstetrics/Gynaecology**

Martel MJ, Rey E, Beauchesne MF, *et al.* Use of inhaled corticosteroids during pregnancy and risk of pregnancy induced hypertension: nested case-control study. *BMJ* 2005;**330**:230.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15659480&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15659480&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ GP/FP/Obstetrics ★★★★★☆☆  
Respirology/Pulmonology ★★★★★☆☆ Obstetrics ★★★★★☆☆

Beck JI, Boothroyd C, Proctor M, *et al.* Oral anti-oestrogens and medical adjuncts for subfertility associated with anovulation. *Cochrane Database Syst Rev* 2005;(1):CD002249.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674894&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674894&dopt=Abstract)

Gynaecology ★★★★★☆☆ Obstetrics ★★★★★☆☆

de Carvalho MH, Bittar RE, Brizot RE, *et al.* Prediction of preterm delivery in the second trimester. *Obstet Gynecol* 2005;**105**:532–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738020&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738020&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆☆ Obstetrics ★★★★★☆☆

Barrilleaux PS, Martin JN Jr, Klauser CK, *et al.* Postpartum intravenous dexamethasone for severely preeclamptic patients without hemolysis, elevated liver enzymes, low platelets (HELLP) syndrome: a randomized trial. *Obstet Gynecol* 2005;**105**:843–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15802415&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15802415&dopt=Abstract)

Nephrology ★★★★★☆☆ Obstetrics ★★★★★☆☆

Aleman A, Althabe F, Belizan J, *et al.* Bed rest during pregnancy for preventing miscarriage. *Cochrane Database Syst Rev* 2005;(2):CD003576.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846669&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846669&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆☆ Obstetrics ★★★★★☆☆

Casanueva E, Ripoll C, Tolentino M, *et al.* Vitamin C supplementation to prevent premature rupture of the chorioamniotic membranes: a randomized trial. *Am J Clin Nutr* 2005;**81**:859–63.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15817864&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15817864&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Wong CA, Scavone BM, Peaceman AM, *et al.* The risk of cesarean delivery with neuraxial analgesia given early versus late in labor. *N Engl J Med* 2005;**352**:655–65.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15716559&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15716559&dopt=Abstract)

GP/FP/Anaesthesia ★★★★★☆ GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Beck JL, Boothroyd C, Proctor M, *et al.* Oral anti-oestrogens and medical adjuncts for subfertility associated with anovulation. *Cochrane Database Syst Rev* 2005;(1):CD002249.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674894&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674894&dopt=Abstract)

Gynaecology ★★★★★☆ Obstetrics ★★★★★☆

Meyer M, Pflum J, Howard D. Outpatient misoprostol compared with dinoprostone gel for preinduction cervical ripening: a randomized controlled trial. *Obstet Gynecol*.2005;**105**:466–72.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738009&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738009&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Obstetrics ★★★★★☆

Deulofeut R, Sola A, Lee B, *et al.* The impact of vaginal delivery in premature infants weighing less than 1,251 grams. *Obstet Gynecol* 2005;**105**:525–31.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738019&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738019&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆ Paediatrics ★★★★★☆ Obstetrics ★★★★★☆

Locksmith GJ, Chin A, Vu T, *et al.* High compared with standard gentamicin dosing for chorioamnionitis: a comparison of maternal and fetal serum drug levels. *Obstet Gynecol* 2005;**105**:473–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738010&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738010&dopt=Abstract)

Infectious disease ★★★★★☆ Obstetrics ★★★★★☆

Milo G, Katchman EA, Paul M, *et al.* Duration of antibacterial treatment for uncomplicated urinary tract infection in women. *Cochrane Database Syst Rev* 2005;(2):CD004682.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846726&query\\_hl=13](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846726&query_hl=13)

GP/FP/Primary care ★★★★★☆ Infectious disease ★★★★★☆ Gynaecology ★★★★★☆

## Orthopaedics

Arrich J, Piribauer F, Map P, *et al.* Intra-articular hyaluronic acid for the treatment of osteoarthritis of the knee: systematic review and meta-analysis. *CMAJ* 2005;**172**:1039–43.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15824412&query\\_hl=9](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824412&query_hl=9)

Rheumatology ★★★★★☆☆ Orthopaedics ★★★★★★★

Ogonda L, Wilson R, Archbold P, *et al.* A minimal-incision technique in total hip arthroplasty does not improve early postoperative outcomes. A prospective, randomized, controlled trial. *J Bone Joint Surg Am* 2005;**87**:701–10.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15805196&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15805196&dopt=Abstract)

Orthopaedics ★★★★★☆☆

Faggiano F, Vigna-Taglianti FD, Versino E, *et al.* School-based prevention for illicit drugs' use. *Cochrane Database Syst Rev* 2005;(2):CD003020.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846647&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846647&dopt=Abstract)

Orthopaedics ★★★★★☆☆ Paediatrics ★★★★★☆☆ Psychiatry ★★★★★☆☆ Public health ★★★★★☆☆

## Paediatrics

Kotowska M, Albrecht P, Szajewska H. *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhoea in children: a randomized double-blind placebo-controlled trial. *Aliment Pharmacol Ther* 2005;**21**:583–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15740542&query\\_hl=17](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15740542&query_hl=17)

GP/FP/Primary care ★★★★★☆☆ Gastroenterology ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★★★

Deulofeut R, Sola A, Lee B, *et al.* The impact of vaginal delivery in premature infants weighing less than 1,251 grams. *Obstet Gynecol* 2005;**105**:525–31.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738019&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738019&dopt=Abstract)

GP/FP/Obstetrics ★★★★★☆☆ Paediatrics ★★★★★★★ Obstetrics ★★★★★☆☆

Buttery JP, Riddell A, McVernon J, *et al.* Immunogenicity and safety of a combination pneumococcal-meningococcal vaccine in infants: a randomized controlled trial. *JAMA* 2005;**293**:1751–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15827314&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15827314&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Megraud F; European Paediatric Task Force on *Helicobacter pylori*. Comparison of non-invasive tests to detect *Helicobacter pylori* infection in children and

adolescents: results of a multicenter European study. *J Pediatr* 2005;**146**:198–203.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15689908&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15689908&dopt=Abstract)

GP/FP/Primary care ★★★★★☆ Infectious disease ★★★★★☆☆ Paediatrics ★★★★★☆☆

Perrotta C, Ortiz Z, Roque M. Chest physiotherapy for acute bronchiolitis in paediatric patients between 0 and 24 months old. *Cochrane Database Syst Rev* 2005;(2):CD004873.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846736&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846736&dopt=Abstract)

Emergency medicine ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Paediatrics ★★★★★☆☆

Tan A, Schulze A, O'Donnell CP, *et al.* Air versus oxygen for resuscitation of infants at birth. *Cochrane Database Syst Rev* 2005;(2):CD002273..

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846632&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846632&dopt=Abstract)

GPF/FP/Obstetrics ★★★★★☆☆ Paediatrics ★★★★★☆☆

Darmstadt GL, Saha SK, Ahmed AS, *et al.* Effect of topical treatment with skin barrier-enhancing emollients on nosocomial infections in preterm infants in Bangladesh: a randomised controlled trial. *Lancet* 2005;**365**:1039–45.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15781099&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15781099&dopt=Abstract)

Paediatrics ★★★★★☆☆

Glazener CM, Evans JH, Peto RE. Alarm interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev* 2005;(2):CD002911.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15846643&query\\_hl=27](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846643&query_hl=27)

Paediatrics ★★★★★☆☆

Olympia RP, Khine H, Avner JR. Effectiveness of oral dexamethasone in the treatment of moderate to severe pharyngitis in children. *Arch Pediatr Adolesc Med* 2005;**159**:278–82.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15753273&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15753273&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Paediatrics ★★★★★☆☆

Altunajji S, Kukuruzovic R, Curtis N, *et al.* Antibiotics for whooping cough (pertussis). *Cochrane Database Syst Rev* 2005;(1):CD004404.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15674946&query\\_hl=15](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15674946&query_hl=15)

Tropical & travel medicine ★★★★★☆☆ Respiriology/Pulmonology ★★★★★☆☆ Paediatrics ★★★★★☆☆

Faggiano F, Vigna-Taglianti FD, Versino E, *et al.* School-based prevention for illicit drugs' use. *Cochrane Database Syst Rev* 2005;(2):CD003020.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846647&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846647&dopt=Abstract)

Orthopaedics ★★★★★☆ Paediatrics ★★★★★☆☆ Psychiatry ★★★★★☆☆  
Public health ★★★★★☆☆

### Psychiatry/Mental health

Fergusson D, Doucette S, Glass KC, *et al.* Association between suicide attempts and selective serotonin reuptake inhibitors: systematic review of randomised controlled trials. *BMJ* 2005;**330**:396.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15718539&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15718539&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Internal Medicine  
★★★★★☆☆ Psychiatry ★★★★★☆☆

Faggiano F, Vigna-Taglianti FD, Versino E, *et al.* School-based prevention for illicit drugs' use. *Cochrane Database Syst Rev* 2005;(2):CD003020.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846647&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846647&dopt=Abstract)

Orthopaedics ★★★★★☆☆ Paediatrics ★★★★★☆☆ Psychiatry ★★★★★☆☆  
Public health ★★★★★☆☆

Ballard C, Margallo-Lana M, Juszczak E, *et al.* Quetiapine and rivastigmine and cognitive decline in Alzheimer's disease: randomised double blind placebo controlled trial. *BMJ* 2005;**330**:874.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15722369&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15722369&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Internal  
medicine ★★★★★☆☆ Geriatrics ★★★★★☆☆ Neurology ★★★★★☆☆  
Psychiatry ★★★★★☆☆

Bradley R, Greene J, Russ E, *et al.* A multidimensional meta-analysis of psychotherapy for PTSD. *Am J Psychiatry* 2005;**162**:214–27.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15677582&query\\_hl=7](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15677582&query_hl=7)

Mental health ★★★★★☆☆ Psychiatry ★★★★★☆☆

Davidson JR, Connor KM, Hertzberg MA, *et al.* Maintenance therapy with fluoxetine in posttraumatic stress disorder: a placebo-controlled discontinuation study. *J Clin Psychopharmacol* 2005;**25**:166–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738748&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738748&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Psychiatry  
★★★★★☆☆



Mitte K, Noack P, Steil R, *et al.* A meta-analytic review of the efficacy of drug treatment in generalized anxiety disorder. *J Clin Psychopharmacol* 2005;**25**:141–50.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15738745&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15738745&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Mental health ★★★★★☆☆ Psychiatry ★★★★★☆☆

### Public health

Faggiano F, Vigna-Taglianti FD, Versino E, *et al.* School-based prevention for illicit drugs' use. *Cochrane Database Syst Rev* 2005;(2):CD003020.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15846647&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15846647&dopt=Abstract)

Orthopaedics ★★★★★☆☆ Paediatrics ★★★★★☆☆ Psychiatry ★★★★★☆☆ Public health ★★★★★☆☆

Vasan RS, Sullivan LM, Wilson PW, *et al.* Relative importance of borderline and elevated levels of coronary heart disease risk factors. *Ann Intern Med* 2005;**142**:393–402.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15767617&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15767617&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal Medicine ★★★★★☆☆ Cardiology ★★★★★☆☆ Public health ★★★★★☆☆

### Surgery

Hausel J, Nygren J, Thorell A, *et al.* Randomized clinical trial of the effects of oral preoperative carbohydrates on postoperative nausea and vomiting after laparoscopic cholecystectomy. *Br J Surg* 2005;**92**:415–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15739210&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15739210&dopt=Abstract)

Surgery ★★★★★☆☆

Dorffler-Melly J, Koopman MM, Prins MH, *et al.* Antiplatelet and anticoagulant drugs for prevention of restenosis/reocclusion following peripheral endovascular treatment. *Cochrane Database Syst Rev* 2005(1):CD002071.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15674891&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674891&dopt=Abstract)

GP/FP/Primary care ★★★★★☆☆ Internal medicine ★★★★★☆☆ Haematology/Thrombosis ★★★★★☆☆ Surgery ★★★★★☆☆

Mendelow AD, Gregson BA, Fernandes HM, *et al.* Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *Lancet* 2005;**365**:387–97.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15680453&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15680453&dopt=Abstract)

Internal medicine ★★★★★☆☆ Neurology ★★★★★☆☆ Surgery ★★★★★☆☆

### **Surgery—Colorectal**

Bucher P, Mermillod B, Gervaz P, *et al.* Mechanical bowel preparation for elective colorectal surgery: a meta-analysis. *Arch Surg* 2004;**139**:1359–64.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15611462&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15611462&dopt=Abstract)

Surgery—Colorectal ★★★★★☆

### **Surgery—Thoracic**

Liao L, Sarria-Santamera A, Matcher DB, *et al.* Meta-analysis of survival and relief of angina pectoris after transmyocardial revascularization. *Am J Cardiol* 2005;**95**:1243–5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15878002&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15878002&dopt=Abstract)

Cardiology ★★★★★☆☆ Surgery—Thoracic ★★★★★☆☆

### **Surgery—Vascular**

Patel ST, Mills JL Sr, Tynan-Cuisinier G, *et al.* The limitations of magnetic resonance angiography in the diagnosis of renal artery stenosis: comparative analysis with conventional arteriography. *J Vasc Surg* 2005;**41**:462–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15838481&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15838481&dopt=Abstract)

Nephrology ★★★★★☆☆ Surgery—Vascular ★★★★★☆☆