

# Evidence-Based Medicine

## for Primary Care and Internal Medicine

**Editors:** Brian Haynes & Paul Glasziou



[www.evidence-basedmedicine.com](http://www.evidence-basedmedicine.com)

### Contents

<b>Purpose and procedure</b>	<b>97</b>		
<b>EBM notebook</b>			
Jottings...	98		
Evaluating evidence-based practice performance	99		
The EBM journal selection process: how to find the 1 in 400 valid and highly relevant new research articles	101		
Evidently...	102		
<b>Therapeutics</b>			
Review: self monitoring increases the efficacy and safety of anticoagulant therapy	103		
Lowering homocysteine with folic acid and B vitamins did not prevent vascular events in vascular disease	104		
Lowering homocysteine with folic acid and B vitamins did not prevent vascular events after myocardial infarction	105		
Review: surgery is not effective for obstructive sleep apnoea hypopnoea syndrome in adults	106		
Below the elbow casts were as effective as above the elbow casts for maintaining reduction of forearm fractures in children	107		
Wet wrap bandages for 4 weeks did not differ from topical ointments but increased skin infections in paediatric atopic eczema	108		
A low fat diet led to a minor weight loss at 7.5 years in postmenopausal women	109		
Review: sedative hypnotics increase adverse effects more than they improve sleep quality in older persons with insomnia	110		
Maintenance treatment with paroxetine, but not psychotherapy, prevented recurrent major depression in older people	111		
Rapid access to methadone improved entry and outcomes in heroin addicts awaiting methadone treatment	112		
A rotavirus vaccine for infants prevented rotavirus gastroenteritis with no increase in risk of intussusception	113		
		Mometasone furoate nasal spray was more effective for symptom relief of acute rhinosinusitis than amoxicillin or placebo	114
		Glucosamine and chondroitin sulphate did not improve pain in osteoarthritis of the knee	115
		<b>Diagnosis</b>	
		Review: self report of hearing loss and the whispered voice test are useful for screening for hearing impairment	116
		Review: ECG, BNP, and N terminal-pro BNP are more sensitive than specific for chronic left ventricular systolic dysfunction	117
		<b>Prognosis</b>	
		71% of patients with newly diagnosed chronic kidney disease progressed to renal replacement therapy or death within 3 years	118
		<b>Clinical prediction guide</b>	
		Review: the Wells clinical prediction guide and D-dimer testing predict deep vein thrombosis	119
		The Outpatient Bleeding Risk Index predicted major bleeding in patients taking warfarin	120
		A simple prediction rule identified patients with pulmonary embolism at low risk of short term death	121
		The World Health Organization clinical decision rule was specific but not sensitive for predicting group A $\beta$ haemolytic streptococcus in children with pharyngitis	122
		<b>Resource review</b>	123
		<b>Additional articles abstracted in ACP Journal Club</b>	126
		<b>Other articles noted</b>	127
		<b>Glossary</b>	Inside back cover