


# Evidence-Based Medicine



## Contents

October 2008 Vol 13 No 5

### Purpose and procedure

129

### EBM notebook

130 Jottings ...

130 Evidence-based medicine targets the individual patient, part 2: guides and tools for individual decision-making


132 Spectrum bias: why generalists and specialists do not connect

133 Why A-level evidence does not make it to clinicians' A-list: the case of thromboprophylaxis in medical patients

### Evidently

135

### Therapeutics

136  Antihypertensive therapy with indapamide and perindopril reduced mortality in patients  $\geq 80$  years

137 A list of 10 tips improved weight control in overweight and obese adults

138 Review: special diets, including egg and cow's milk exclusion, a few-foods diet, and an elemental diet, are not effective in unselected cases of atopic eczema

139 Review: little high-quality evidence is available regarding treatments for localised prostate cancer

140 Review: limited evidence suggests that statins are safe in patients with liver disease

141 Buflomedil reduced cardiovascular events in peripheral arterial disease

142 Risk of cancer was still increased over 2 years after stopping hormone therapy

143 Imiquimod 5% cream reduced lesion size in vulvar intraepithelial neoplasia

144 Laparoscopic appendectomy reduced chronic right lower-quadrant abdominal pain more than sham intervention

145 Oral prednisolone was not inferior to intravenous prednisolone for treatment failure in chronic obstructive pulmonary disease exacerbation

146 Metformin plus a lifestyle intervention was more effective than either alone for antipsychotic-induced weight gain

147 Telmisartan and ramipril were equivalent, but their combination increased adverse events in vascular disease or diabetes

148 Review: some evidence supports pharmacological and non-pharmacological treatments of fibromyalgia syndrome

149 Review: erythropoiesis-stimulating agents increase mortality and venous thromboembolism in cancer-associated anaemia

150 Metformin (alone or with insulin) was as effective as insulin for preventing perinatal complications in gestational diabetes

### Aetiology

151 Non-diabetic maternal hyperglycaemia was associated with adverse pregnancy outcomes

### Diagnosis

152 Review: simple questions and clinical tests are moderately useful for diagnosing urinary incontinence

### Prognosis

153 HF patients with preserved or reduced ejection fractions did not differ for survival or CV mortality at 5 years

154 Risk of fatal pulmonary embolism was 0.49 per 100 person-years after discontinuing anticoagulant therapy for venous thromboembolism

155 Melanoma of the scalp and neck had greater risk of melanoma-specific mortality than melanoma of the extremities

### Resource reviews


156

### Other articles noted

159

### Glossary

Inside back cover

 This article has been chosen by the Editor to be of special interest or importance and is freely available online.

C O P E COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

[www.publicationethics.org.uk](http://www.publicationethics.org.uk)