

Evidence-Based Medicine



Contents

April 2010 Vol 15 No 2

Purpose and procedure

35

Notebook

36 Evidence-based practice in action: how can your medical librarian help?

Therapeutics

- 37 Increased risk of asthma death with salmeterol monotherapy compared with placebo, but not with salmeterol plus inhaled corticosteroids compared with inhaled corticosteroids alone
- 38 Systematic review finds no difference between home-based and centre-based cardiac rehabilitation in terms of effect on mortality, morbidity and modifiable risk factors in patients with CHD
- 39 Hearing loss after bacterial meningitis is predicted by presenting status and young age; effectiveness of adjuvant dexamethasone or glycerol unclear
- 40 Compared with glyburide, sitagliptin associated with incremental cost-effectiveness ratio of \$169 572 per QALY and exenatide with \$278 935 per QALY as second-line treatment in adult diabetics in the USA
- 41 Systematic review finds modest weight loss at 1 year but a lack of high-quality evidence to support the efficacy of programmes encouraging weight loss in older people
- 42 Early childhood home visits to high-risk families may reduce maternally perpetrated intimate partner violence
- 44 Uplifting results of tiotropium in moderate COPD (GOLD stage 2)
- 45 Study finds that the combination gabapentin plus nortriptyline reduces neuropathic pain more than either drug alone
- 46 Liraglutide for weight loss: more research is needed
- 47 Current evidence shows no reduction in mortality or re-infarction rate with early mobilisation after myocardial infarction
- 48 Hand hygiene and face mask use within 36 hours of index patient symptom onset reduces flu transmission to household contacts
- 49 Depression screening and management programmes with staff assistance in primary care increase response and remission rates, but programmes without staff assistance do not show benefits
- 50 Prophylactic paracetamol at the time of infant vaccination reduces the risk of fever but also reduces antibody response

- 51 Compared with low-dose losartan, high-dose losartan decreases risk of death or hospital admission for heart failure in people with heart failure who are intolerant to ACE inhibitors
- 52 Very-low-strength evidence suggests that combining ezetimibe or fibrate with statins is no more effective than high-dose statin monotherapy for reducing all-cause mortality
- 53 Adding live, reactive telephone counselling to self-help literature does not increase smoking cessation
- 55 Current evidence suggests phyto-oestrogens are safe and well tolerated by postmenopausal women, with moderately increased risk of adverse gastrointestinal effects compared with placebo
- 56 Compared with usual care, supervised exercise in primary care for people with patellofemoral syndrome does not significantly increase self-reported recovery but improves pain and function in the short term and pain in the long term
- 57 Telephone-delivered collaborative care for post-CABG depression is more effective than usual care for improving mental-health-related quality of life
- 59 Use of sedatives and hypnotics, antidepressants and benzodiazepines in older people significantly increases their risk of falls
- 60 Adverse effects of treatment in randomised controlled trials are variably and inconsistently reported

Diagnosis

- 61 Serious pathology in people presenting to primary care with acute low back pain is rare (0.9%), but high false-positive rates for some 'red flags' may limit their diagnostic value
- 62 Mammography reduces breast cancer mortality in women aged 39-69 years; but harms may outweigh benefits in women under 50

Prevalence

- 64 Prevalence of myocardial infarction in the USA has decreased over a 10-15-year period in midlife men but increased in women, with a greater decrease in cardiovascular risk in men compared to women

Reprinted from DTB

- 65 Generic prescribing in epilepsy

 This article has been chosen by the Editor to be of special interest or importance and is freely available online.

C O P E COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk

 equator network

 recycle

When you have finished with this please recycle it