

# Evidence-Based Medicine



## Contents

June 2014 Volume 19 No 3

### Editorial

- 81** Journals should lead the way in improving medical press releases



### Perspective

- 83** Basic learning concepts in EBM: the bidimensional hierarchy of evidence

### Primer

- 85** EBM apps that help you search for answers to your clinical questions



### Therapeutics

- 88** Treating mild gestational diabetes yields benefits with little or no evidence of harms

- 89** Statins do not improve cardiovascular outcomes for dialysis patients

- 90** Sofosbuvir with ribavirin is safe and effective in hepatitis C genotype 1 with unfavourable pretreatment characteristics

- 91** Advanced wound care therapies in non-healing lower extremity ulcers: high expectations, low evidence

- 92** Study suggests varenicline safe and effective among adults with stable depression

- 93** The effectiveness of pressure ulcer risk assessment instruments and associated intervention protocols remains uncertain

- 94** Meta-analysis finds benefit for dual antiplatelet therapy but limitations preclude changing standard mono antiplatelet therapy approach for acute non-cardioembolic ischaemic stroke or transient ischaemic attack

- 95** The addition of nebulised magnesium to the standard asthma therapy for children with severe symptoms results in small improvements in asthma severity scores

- 96** Percutaneous coronary intervention of culprit and non-culprit coronary arteries in acute ST-elevation MI may improve outcomes

- 97** Novel anticoagulants in patients with mechanical heart valves

- 98** Neither anti-inflammatory nor antibiotic treatment significantly shortens duration of cough in acute bronchitis compared with placebo

- 99** Long-term antibiotic therapy reduces exacerbation frequency in patients with COPD but it remains unclear which patients to target

- 100** Study shows insufficient decrease in wound complications with sutured versus stapled skin closure in gastrointestinal operations

- 101** Cholinesterase inhibitors should not be prescribed for mild cognitive impairment

- 102** Neither ibuprofen nor steam improves symptom control compared with paracetamol in patients with acute respiratory tract infections in primary care

- 103** Metformin associated with better cardiovascular outcomes than other glycaemic therapies

### Prevention

- 104** Intermittent pneumatic compression is effective in reducing venous thromboembolism risk in hospitalised patients

- 105** Menopausal hormone therapy has risks and benefits during the intervention and poststopping phase

- 106** Lactose avoidance shortens symptom duration for young children with acute diarrhoea

- 107** Community screening for heart failure: ready for prime time?

### Diagnosis

- 108** History and physical examination provide little guidance on diagnosis of rotator cuff tears

- 109** Population-based study provides a step towards evidence-based management of thyroid nodules detected on ultrasound

### Prognosis

- 110** For some groups traditionally considered to be 'high risk', the evidence of an increased risk of severe influenza-associated illness is poor quality

### Aetiology

- 111** Maternal obesity during pregnancy is associated with adult offspring cardiovascular morbidity and mortality but may represent confounding by other factors

- 112** Raised blood glucose as a predictor of dementia risk in adults with and without diabetes

- 113** Child hunger is a prescription for depression in late adolescence and early adulthood

- 114** More evidence for the benefits of cognitive activity over the lifespan

- 115** Metoclopramide in pregnancy: no association with adverse fetal and neonatal outcomes

### Harm

- 116** Inhaled fluticasone and budesonide increased the risk of serious pneumonia in COPD

### Quality improvement

- 117** Delayed prescription worsens reported symptoms and increases antibiotic use compared with clinical score with or without rapid antigen testing in patients with sore throat

- 118** Evidence-based clinical decision support improves the appropriate use of antibiotics and rapid strep testing

### Practice guidelines

- 119** Caesarean delivery for twin gestation at 32–38 weeks does not lead to improved clinical outcomes for neonates or mothers

### Letter

- 120** Barbajada (coffee, milk and chocolate): the secret to the Nobel Prize

This article has been chosen by the Editor to be of special interest or importance and is freely available online.

This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://ebm.bmj.com/site/about/guidelines.xhtml#open>

**C O P E** COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

[www.publicationethics.org.uk](http://www.publicationethics.org.uk)

equator network

recycle  
When you have finished with this please recycle it

Receive regular table of contents by email. Register using this QR code.

