

Evidence-Based Medicine

Contents

Purpose and Procedure	98	A home-based intervention reduced out-of-hospital deaths and hospitalizations in CHF	115
Additional Articles Abstracted in ACP Journal Club	99	Superovulation and intrauterine insemination were most effective for infertility	116
EBM NOTEBOOK		Postmenopausal hormone therapy decreased vasomotor symptoms	117
Guidelines and killer Bs	100	Corticosteroid injections were superior to physiotherapy for painful stiff shoulder	118
An "evidence centre" in a general hospital: finding and evaluating the best available evidence for clinicians	102	Intermittent treatment with ranitidine or omeprazole for 1 year was effective for gastro-oesophageal reflux disease	119
Correction	104	Use of insecticide for fly control reduced the incidence of childhood diarrhoea in rural Pakistan	120
THERAPEUTICS		Review: Antibiotics do not lead to general improvement in upper respiratory tract infections	121
Review: Antidepressants improve depression in adults with physical illnesses	105	Review: 6- and 12-month courses of isoniazid prevent active tuberculosis in HIV-negative persons	122
Teaching patients to recognise early symptoms of relapse reduced manic relapses in bipolar disorder	106	Restrictive and liberal blood transfusion strategies had similar mortality rates in critically ill adults	123
Intensive therapy delayed microvascular complications in patients with type 2 diabetes mellitus and microalbuminuria	107	Hyperbaric oxygen did not reduce persistent neurologic sequelae of carbon monoxide poisoning	124
Bedtime insulin plus metformin was effective and did not cause weight gain in patients with poorly controlled type 2 diabetes mellitus	108	ETIOLOGY	
Extended anticoagulation prevented recurrence after a first episode of idiopathic venous thromboembolism	109	Low annual volumes for surgeons and hospitals were associated with increased mortality in carotid endarterectomy	125
Captopril was not more effective than conventional treatment in hypertension and led to an increase in stroke	110	In utero and perinatal zidovudine did not have long-term adverse effects in children	126
Sildenafil improved erections and increased successful sexual intercourse in diabetic men with erectile dysfunction	111	Review: Glucose levels are associated with cardiovascular risk in persons without diabetes mellitus	127
Review: Most obesity treatment methods are ineffective over the long term	112	ECONOMICS	
A multicomponent programme increased physical function and decreased hospital days in older adults with chronic disease	113	Extracorporeal membrane oxygenation was more effective but 3 times more expensive than conventional management	128
Hospital-at-home care was at least as effective, safe, and acceptable as hospitalization for older adults	114	Glossary	Inside back cover

Best Evidence 3, a complete electronic archive of *ACP Journal Club* and *Evidence-Based Medicine* through 1998, is available to institutions for £95, BMA members for £43, and to non-members for £62. To order, contact BMJ Publishing Group at 0171 383 6270. Information about Best Evidence 3 is also available at <http://www.bmjppg.com/data/ebm.htm>.

Evidence-Based Medicine is published bimonthly with the support of the NHS Executive Research and Development Programme.