

# Evidence-Based Medicine

## Contents

<b>Purpose and procedure</b> .....	130	Amoxicillin resolved otitis media symptoms in young children better than did placebo at day 4 but not at day 11.....	149
<b>Additional articles abstracted in <i>ACP Journal Club</i></b> .....	131	Cisapride was effective in the short term for constipation in children .....	150
<b>EBM Notebook</b>		Routine testing before cataract surgery did not reduce medical adverse events .....	151
Clinical assessment of the reliability of the examination (CARE).....	132	<b>Diagnosis</b>	
<b>Resource corner</b> .....	135	Tachypnea is a useful predictor of pneumonia in children with acute respiratory infection.....	152
<b>Therapeutics</b>		A respiratory rate of $\geq 60$ breaths per minute had high sensitivity for detecting hypoxia in infants .....	153
Vitamin E did not reduce myocardial infarction, death, or stroke in adults at high risk for cardiovascular events.....	137	Biliary scintiscan had high sensitivity and specificity for predicting pathological findings in the common bile duct...	154
Review: isolated systolic hypertension increases mortality and morbidity in elderly people and should be treated.....	138	<b>Aetiology</b>	
Inhaled budesonide and prednisone led to similar rates of asthma relapse after emergency department discharge .....	139	Patients with carotid artery stenosis had a high risk for stroke, and some types of stroke were not prevented by endarterectomy .....	155
An outpatient multidisciplinary pulmonary rehabilitation programme was effective in disabling chronic lung disease..	140	<b>Quality improvement</b>	
Review: treatment induced blood pressure reductions in pregnancy may be associated with decreased fetal growth...	141	A critical pathway reduced resource use without compromising safety and effectiveness in community acquired pneumonia.....	156
Controlled and extended release metoprolol reduced death, hospital admissions, and symptoms in chronic heart failure.	142	Feedback to physicians plus telephone care management improved outcomes in primary care patients with depression.....	157
Review: antidepressants are effective for clinical improvement in unexplained physical symptoms and syndromes.....	143	Practice based education did not increase recognition of depression by primary care physicians nor improve the outcome of depression .....	158
Review: early treatment of acute herpes zoster may prevent or shorten the duration of postherpetic neuralgia .....	144	<b>Economics</b>	
Manual physical therapy and exercise improved function in osteoarthritis of the knee.....	145	Brief physician advice to problem drinkers reduced alcohol intake and societal costs.....	159
Review: glucosamine and chondroitin improve outcomes in osteoarthritis, but the magnitude of effect is unclear .....	146	<b>Clinical prediction guide</b>	
Review: evidence is unclear that preventive home visits for elderly people in the community improve mortality or health outcomes .....	147	A clinical prediction tool that includes modifiable risk factors predicted functional decline in elderly women.....	160
Review: long-term effectiveness of non-drug treatments for sleep problems in young children is more evident .....	148	<b>Glossary</b> .....	Inside back cover

**Best Evidence 4**, a complete electronic archive of *ACP Journal Club* and *Evidence-Based Medicine* through 1999, is available to institutions for £103, BMA members and £50, and to non-members for £70. To order, contact BMJ Publishing Group at +44(0)20 7383 6270. Information about Best Evidence 4 is also available at <http://www.bmjpub.com/data/ebm.htm>.

*Evidence-Based Medicine* is published bimonthly with the support of the NHS Executive Research and Development Programme.