


# Evidence-Based Medicine



**Editors:** Brian Haynes & Paul Glasziou

## Contents

Purpose and procedure	130	Review: oral anticoagulants plus antiplatelet agents reduce thromboembolism and all cause mortality for heart valve prostheses	147
Additional articles abstracted in <i>ACP Journal Club</i>	132	A peer led asthma education programme in adolescents was more effective than no programme for improving quality of life	148
EBM notebook: Creating knowledge management skills in primary care residents: a description of a new pathway to evidence-based practice in the community	133	Review: some but not all topical antimicrobial agents improve the rate of healing of chronic wounds	149
Resource corner	135	Review: warfarin prevents stroke in non-rheumatic atrial fibrillation but has a higher risk for haemorrhage than other agents	150
<b>Therapeutics</b>		Reduced sodium intake lowered blood pressure and need for antihypertensive medication	151
Review: the levonorgestrel releasing intrauterine system prevents more pregnancies than intrauterine devices (IUDs) $\leq 250$ mm <sup>2</sup> but not IUDs $>250$ mm <sup>2</sup>	137	Permethrin (PER) plus trimethoprim/sulfamethoxazole (TMP/SMX) was better than PER but not TMP/SMX for head lice infestation in children	152
Antibiotics did not prevent adverse outcomes after preterm, prelabour rupture of fetal membranes	138	Review: smooth muscle relaxants improve symptoms and reduce pain in irritable bowel syndrome	153
Antibiotics did not prevent adverse outcomes in women in preterm labour with intact fetal membranes	139	A depression management programme reduced depression in frequent users of health care but did not reduce healthcare visits	154
Postexposure prophylaxis with inhaled zanamivir was efficacious for household contacts of people with influenza	140	A depression management programme increased depression free days and costs in depressed frequent users of general health care	155
Oseltamivir reduced new cases of influenza in household contacts of people with clinical or confirmed influenza	141	Patient education to encourage graded exercise improved physical functioning in chronic fatigue syndrome	156
Direct observation of tuberculosis treatment did not promote higher cure rates than self administered treatment	142	Cognitive behaviour therapy reduced fatigue severity and functional impairment in chronic fatigue syndrome	157
Review: mefloquine prevents malaria but has adverse effects that limit its acceptability in adults not immune to malarial infection	143	<b>Diagnosis</b>	
Incidence of long term backache was similar between women receiving epidural analgesia during labour and those who did not	144	A normal alveolar dead space fraction plus D-dimer assay ruled out suspected pulmonary embolism in the emergency department	158
Radiography led to improved patient satisfaction but increased short term pain in patients with low back pain	145	The Mini Cog had high sensitivity and specificity for diagnosing dementia in community dwelling older adults	159
Review: angiotensin converting enzyme inhibitors are beneficial in type 1 diabetes mellitus and microalbuminuria regardless of baseline risk factor status	146	<b>Differential diagnosis</b>	
		A 2 step procedure determined diagnosis in patients with unexplained weight loss	160